Short Report from a trip to Israel 22.3-4.4.1992

By Annika Forsten, Tapani Numminen and Heikki Assinen.

We went with Net-tours and paid about 4200 FIM (\$700) for 13 days. Unfortunately Net went bankrupt after the first week and wanted to ship us home on the next flight. Luckily for us El Al decided to honour our old ticket so we could stay, but had to pay the hotel ourselves which cost \$80x6/3. We were refunded for the hotel costs from the NET insurance fund in November after almost having lost hope (the NET bankrupcy trial was in July).

The weather was warm and sunny all days except one, when it was cloudy. The wind was mostly from the north and was quite hard making the mornings cold. We rented a D-car from Avis and paid 3783 FIM (\$630) for it. Breakfast was included with the hotelpackage so we birded wadis, the desert, fields or saltpans about 1-2 hours in the early morning, had breakfast and then drove up to the mountains to watch raptors. We counted everything except Black Kites and Buzzards whose numbers we estimated. During the first week we mostly watched from Mount Yoash (High Mountain), during the second from km 4 and km 9 as the raptors seemed to fly lower then. The eagles mostly flew lower than the Buzzards though and in the end we felt km 4 was the best place in order to get the best coverage and identification percentage. Photography was not so good though. When the raptormigration either stopped or went too high we returned to the valley and continued birding the wadis etc. We went to Yotvata (45km N of Eilat) three times and once we drove to the Dead Sea.

There were lots of visiting birders from Sweden, Britain, Holland, Germany and Finland. There were also some guided groups in buses, don't know from where. The ringing/banding station was operational but they did not catch much, over 100 birds was a good day.

We had altogether 185 species, one of which was a lifer for me. We didn't see any really rare birds, nor did we see Verraux's Eagle which we had hoped for. A Pied Wheatear and an Oriental Skylark were both present several days and caused a lot of discussion on identification. The wheatear was caught and measured and the measurments made the id quite clear, since several of them did not fit Cyprus Wheatear. Our best day total was 102.

I used up quite a lot of film, but unfortunately the raptors seldom came close enough. Heikki had a camcorder/videocamera and took a few hours of film, but since the field of view is very small he found it rather difficult to film flying raptors.

Some of the more interesting species:

Cory's Shearwater, C. diomedea	1 Eilat
Little Bittern, I. minutus	1 Eilat
Green Heron, B. striatus	1 Eilat

D 1 II 4	2.53
Purple Heron, A. purpurea	3 Eilat
Black Stork, C. nigra	329 migrating Eilat
White Stork, C. ciconia	6 migrating Eilat, 2 Yotvata
Honey Buzzard, P. apivorus	2 migrating Eilat
Black Kite, M. migrans	923 estimated
Egyptian Vulture, N. percnopterus	50 migrating Eilat, 3 Be'er Sheva
Griffon Vulture, G. fulvus	15 Be'er Sheva region
Lappet-faced Vulture, T. tracheliotus	2 - " -
Short-toed Eagle, C. gallicus	24 migrating Eilat
Marsh Harrier, C. aeruginosus	39 migrating Eilat
Hen Harrier, C. cyanus	2 migrating Eilat
Pallid Harrier, C. macrourus + sp.	14+9 Eilat
Montagu's Harrier, C. pygargus	1 Eilat
Sparrowhawk, A. nisus	76 migrating Eilat
Common Buzzard, B. buteo	estimated 43300, which is not enough
Long-legged Buzzard, B. rufinus	5 migrating Eilat, 2 elsewhere
Lesser Spotted Eagle, A. pomarina	42 migrating Eilat
Spotted Eagle, A. clanga	1 migrating Eilat
Steppe Eagle, A. nipalensis + sp	692 + 95 migrating Eilat
Imperial Eagle, A. heliaca	6 migrating Eilat
Booted Eagle, H. pennatus	37 migrating Eilat
Osprey, P. haliaetus	30 migrating Eilat
Lesser Kestrel, F. naumanni	1 migrating Eilat
Common Kestrel, <i>F. tinnunculus</i> + sp	55
Barbary Falcon, F. pelegrinoides + sp	2+8 Eilat
Sand Partridge, A. heyi	80, clearly more common than on previous
<i>5</i> /	trips.
Baillon's Crake, P. pusilla	1 Eilat
Collared Pratincole, G. pratincola	21 Eilat
Greater Sand Plover, C. leschenaultii	10-16 Eilat
Caspian Plover, C. asiaticus	2 Eilat
Marsh Sandpiper, T. stagnatilis	10 Eilat
Terek Sandpiper, X. cinereus	2 Eilat
Great Black-headed Gull, <i>L. ichtyaetus</i>	10 Eilat
Mediterranean Gull, L. melanocephalus	
Little Tern, S. albifrons	1 Eilat
Namaqua Dove, O. capensis	Male and Female Eilat
Hume's Tawny Owl, S. butleri	1 En Gedi
Alpine Swift, A. melba	1 Eilat
White-breasted Kingfisher, <i>H. smyrnens</i>	
Pied Kingfisher, <i>C. rudis</i>	1 Eilat
Bar-tailed Desert Lark, A. cincturus	8 at km 32
Hoopoe Lark, A. alaudipes	11 at km 32
Oriental Skylark, A. gulgula	1 Eilat
Temmink's Horned Lark, E. bilopha	3 at km 32
-	
Citrine Wagtail, M. citreola	4 males, 1 female
Rufous Bush Robin, C. galactotes	1 Yotvata, 1 at km 19
Pied Wheatear, O. pleschanka	1 first-winter male Eilat, was trapped
Cyprus Pied Wheater, O. cypriaca	1 male km 18 23.3

Black-eared Wheatear, O. hispanica 20-30
Desert Wheatear, O. deserti 2 at km 32
Mourning Wheatear, O. lugens 6 Shizzafon
Hooded Wheatear, O. monacha 3 males

Rock Thrush, *M. saxatilis* 1 male at km 17

Blue Rock Thrush, M. solitarius

Scrub Warbler, S. inquita

Subalpine Warbler, S. cantillans

Rueppell's Warbler, S. rueppelli

Desert Warbler, S. nana

Arabian Warbler, S. leucomelaena

3

1 male Eilat
15-20
1 at km 32
3 at Yotvata

Orphean Warbler, S. hortensis 2 Eilat

Hume's Yellow-browed Warbler, P. humei 1 Eilat (had overwintered)