# Azores 3<sup>rd</sup>-16<sup>th</sup> September 2001

#### William Velmala, Hannu Huhtinen & Rasmus Mäki

We flew Sata Air (<a href="http://www.sata.pt">http://www.sata.pt</a>) from Lisbon plus three inter-island flights for (roughly) >200 euros. They fly 4 times a day to the Azores from Lisbon. Inter-island ferry schedules were obtained through the Internet but no reservations were made beforehand (<a href="http://www.transmacor.pt">http://www.transmacor.pt</a> or <a href="http://www.acorline.pt">http://www.acorline.pt</a>). Ferries between the islands varied between ca 30–40 euros one-way. September is not a very busy month what it comes to tourism on the Azores, so there was plenty of space on the ferries as well as buses and flights. Rental cars weren't booked beforehand either as you get a better price when you go and compare the prices on the airports as you arrive there. Both the fuel and rental cars were somewhat more expensive than on continental Portugal or Spain.

### **ITINERARY**

### 3rd Sep São Miguel

Arrived at Ponta Delgada airport at 8:10 a.m. and rented a car from the airport. Route Ponta Delgada – Ponta dos Caetanos – Lagoa das Furnas – Serra de Tronquiera – Ponta da Albufeira (Ribeira Quente) – Vila Franca do Campo – Ponta da Lagoa. Slept in car at Mosteiros. 28 species.

### 4<sup>th</sup> Sep São Miguel

Morning sea-watch at Mosteiros, then route Sete Cidades (Lagoa Azul – Lagoa Verde) – Relva – Ponta Delgada – Ponta doa Ferraira (Ginetes) – Vila Franca do Campo. Slept in a hostel in Ponta Delgada. 28 species.

### 5<sup>th</sup> Sep São Miguel-Santa Maria

Birding in Ponta Delgada harbour at 7:15–8:10 a.m. Took the São Miguel–Santa Maria ferry at 8:10–12:00. Sea-watching at Santa Maria harbour at 12:00–14:00. Took the Santa Maria–São Miguel ferry at 14:00–18:00. Slept in a hostel in Ponta Delgada. 23 species.

### 6<sup>th</sup> Sep Terceira

Took flight São Miguel-Terceira at 7:30-8:15a.m. and rented a car for a day at the airport. Route Cabo da Praia – Pavl da Praia (a little puddle on the outskirts of Praia da Vitória) – Praia da Vitória harbour. Slept in car at the quarry (Pavl do Cabo da Praia). 31 species.

### 7<sup>th</sup> Sep Terceira-Pico

Took the car back and then took a bus to Angra do Heroismo. Took a ferry at 9:00 a.m. from Terceira (via São Jorge) to Pico. Route Madalena – São Mateus – Lajes do Pico in the afternoon. Slept in a hostel at Lajes do Pico. 24 species.

### 8th Sep Pico

Route Lajes do Pico – Lagoa do Capitão – Pavl da Landroal – Lagoa do Caiado – Lagoa Seca – Lajes do Pico. Slept in a hostel at Lajes do Pico. 25 species.

### 9<sup>th</sup> Sep Pico

Route Lajes do Pico – Lagoa do Capitão – Pavl da Landroal – Lagoa do Caiado – Lagoa Seca – São Roque do Pico – Cais do Pico – Madalena. Slept in a windmill next to Madalena harbour. 24 species.

### 10th Sep Pico-Terceira

Took a bus from Madalena harbour to Cais do Pico in the morning. Took the ferry (via São Jorge and Graciosa) to Terceira at 10:00–18:15. Took a bus back to Praia da Vitória and rented a car. Visited Pavl da Praia between 19:00–20:00. Slept in car at the quarry. 18 species.

### 11th Sep Terceira

Route Pavl do Cabo da Praia (the quarry) – Lagoa do Ginjal – Lagoa do Junco – Praia da Vitória. Slept in tent at the quarry. 37 species.

### 12<sup>th</sup> Sep Terceira

Route Pavl da Cabo da Praia (the quarry) – Angra do Heroismo – São Mateus da Calheta – Praia da Vitória. Slept in tent at the quarry. 35 species.

### 13th Sep Terceira-Flores

Birding at the quarry until 9:30 a.m. Took the car back and took flight Terceira – Flores at 11:45–13:00. Rented a car at the airport on Flores. Route Santa Cruz – Lagoa Seca – Lagoa Branca – Fajã Grande – Ribeira Grande – Lagoa Rasa – Lagoa Funda – Lagoa da Lomba – Lagoa Branca. Slept in car at Fajã Grande. 28 species.

### 14th Sep Flores

Had a morning sea-watch at Fajã Grande. Route Fajã Grande — Lagoa Funda — Lagoa Comprida — Lagoa Branca — Lagoa Seca — Lagoa Rasa — Lagoa Funda — Lagoa da Lomba — Santa Cruz. Had an evening sea-watch at Santa Cruz. Slept at Paulo Faria's place. 27 species.

### 15th Sep Flores-São Miguel

Spent the morning on sea-watch at Ponta Delgada until 12:30. Took flight Flores – São Miguel at 13:30–15:30. Rented a car in the airport. Route Lagoa das Furnas – Lagoa do Congro – Lagoa do Fogo – Ribeira Grande. Slept in tent near Sete Cidades. 23 species.

### 16<sup>th</sup> Sep São Miguel

Had a morning sea-watch at Mosteiros, and then went birding at Sete Cidades (Lagoa Verde – Lagoa Azul – Lagoa de Santiago). Drove to Ponta Delgada in the afternoon and took the car back. Spent the evening and night at the airport and flew back home (via Lisbon and Paris) in the morning. 31 species.

### **SPECIES LIST**

63 species were recorded during the 14 days of birding. Many of the numbers are mostly estimates (f ex, c20 = circa 20 individuals) made in the evening rather than accurately counted sums. These are meant to give at least some idea of how common or rare a species is on the islands. Estimated or counted daily totals are summed up for some species. These are of course not absolute totals of recorded individuals, simply summed up totals of daily records.

### **BLACK DUCK** Anas rubripes

13<sup>th</sup>–14<sup>th</sup> Sep Flores at least 2 males 1 female at Lagoa Seca. There was a flock of 10 Black Duck/Mallard – type ducks at Lagoa Seca, of which at least three (2 males and 1 female) were identified as pure Black Ducks. The remaining seven individuals showed variable amount of characters, such as whitish sides of tail, some white bordering the speculum, brownish 'Mallard-type' barring on the flanks or chest etc., that made us suspect some influence of Mallard in these birds. We don't have experience on the plumage variation in Black Duck, but at least based on literature it seems more likely that some of the birds on Flores are hybrids rather than pure Black Ducks.

### **GARGANEY** Anas querquedula

11<sup>th</sup>-12<sup>th</sup> Sep Terceira 1 adult male eclipse at the quarry.

### **POCHARD** Aythya ferina

**4**<sup>th</sup> & **16**<sup>th</sup> **Sep** São Miguel 1 male at Lagoa Azul (most likely the same individual).

### **QUAIL** Coturnix coturnix conturbans

Very common on Terceira, where the area between Praia da Vitória and Pavl da Cabo da Praia was particularly good. Highest counts were 20 individuals on 6<sup>th</sup> and 11<sup>th</sup> Sep. All observations: 3<sup>rd</sup> Sep São Miguel 1 calling near the airport; 4<sup>th</sup> Sep São Miguel 1 calling at Relva; 6<sup>th</sup> Sep Terceira c20 (seen and heard); 8<sup>th</sup> Sep Pico 2; 11<sup>th</sup> Sep Terceira c20 (seen and heard) and 12<sup>th</sup> Sep Terceira c15.

## BULWER'S PETREL Bulweria bulwerii

5<sup>th</sup> Sep São Miguel – Santa Maria ferries 7.

# CORY'S SHEARWATER Calonectris diomedea

The summed up daily estimates produce over 55 000 birds during the trip. These numbers are really rough estimates due to the great (uncountable!) abundance of the species on the Azorean seaboard. The numbers ten-

ded to decrease towards the end of the trip, however. The greatest count (or estimate), 12 000 birds, was on the 4<sup>th</sup> Sep on a morning-to-noon sea-watch at Mosteiros, São Miguel. On Terceira we recorded an amazing in-flight (from the sea to the breeding grounds in the mountains) at dusk and even later in the evening. The birds are calling frequently and they seem to fly inlands in huge noisy flocks. Daily estimates: 3<sup>rd</sup> Sep São Miguel c4 000; 4<sup>th</sup> Sep São Miguel c12 000; 5<sup>th</sup> Sep São Miguel – Santa Maria ferries c6 600; 6<sup>th</sup> Sep Terceira c3 000; 7<sup>th</sup> Sep Terceira – Pico ferry c10 800; 8<sup>th</sup> Sep Pico c500; 9<sup>th</sup> Sep Pico c1 000; 10<sup>th</sup> Sep Pico – Terceira ferry c5 000; 11<sup>th</sup> Sep Terceira c1 000; 12<sup>th</sup> Sep Terceira c2 000; 13<sup>th</sup> Sep Flores c200; 14<sup>th</sup> Sep Flores c4 000; 15<sup>th</sup> Sep Flores c2 000 (+c100 on São Miguel) and 16<sup>th</sup> Sep São Miguel c3 500.

### **GREAT SHEARWATER** Puffinus gravis

Daily estimates sum up over 1 200 individuals. On the contrary to the preceding species the numbers increased towards the end of the trip. Only single individuals were seen in the beginning, but the greatest counts involve c400 birds on the 10<sup>th</sup> Sep on the ferry from Pico to Terceira and on the 16<sup>th</sup> Sep at Mosteiros on São Miguel. Daily counts/estimates: 3<sup>rd</sup> Sep São Miguel 1 off Ponta da Albufeira; 4<sup>th</sup> Sep São Miguel 28 (26 Mosteiros, 2 Ponta Delgada); 5<sup>th</sup> Sep São Miguel – Santa Maria ferries 3; 7<sup>th</sup> Sep Terceira – Pico ferry 2; 10<sup>th</sup> Sep Pico – Terceira ferry c400; 11<sup>th</sup> Sep Terceira c80; 12<sup>th</sup> Sep Terceira 10; 14<sup>th</sup> Sep Flores c300; 15<sup>th</sup> Sep Flores c20 and 16<sup>th</sup> Sep São Miguel c400 at Mosteiros.

### **SOOTY SHEARWATER** Puffinus griseus

A total of 14 individuals were seen. All observations: **7**<sup>th</sup> **Sep** Terceira – Pico ferry 1; **10**<sup>th</sup> **Sep** Pico – Terceira ferry 12 and **14**<sup>th</sup> **Sep** Flores 1 at Santa Cruz.

### MANX SHEARWATER Puffinus puffinus

A total of c130 individuals were seen. These include some tens of unidentified Manx/Balearic/Yelkouan Shearwaters *P.puffinus/mauretanicus/yelkouan* seen from a great distance or only very briefly. All observa-

tions: **4**<sup>th</sup> **Sep** São Miguel 8 at Mosteiros; **5**<sup>th</sup> **Sep** São Miguel – Santa Maria ferry 2; **6**<sup>th</sup> **Sep** Terceira 1; **10**<sup>th</sup> **Sep** Pico – Terceira ferry 13; **14**<sup>th</sup> **Sep** Flores c45; **15**<sup>th</sup> **Sep** Flores 3 and **16**<sup>th</sup> **Sep** São Miguel c60 at Mosteiros.

**LITTLE SHEARWATER** *Puffinus assimilis baroli* **14**<sup>th</sup> **Sep** Flores 4 at Santa Cruz in the afternoon were the only observed ones.

#### LEACH'S/MADEIRAN STORM-PETREL

Oceanodroma leucorhoa/castro

5<sup>th</sup> Sep Santa Maria – São Miguel ferry 1 distant individual

### LITTLE EGRET Egretta garzetta

Only two birds: 9<sup>th</sup> Sep Pico 1 at Madalena and 12<sup>th</sup> Sep Terceira 1 flying south at the quarry.

#### **GREY HERON** Ardea cinerea

Common but not very numerous, daily counts total c40 individuals. All records: **3rd Sep** São Miguel 1 at Lagoa do Fogo; **4**<sup>th</sup> **Sep** São Miguel 1 at Mosteiros; **6**<sup>th</sup> **Sep** Terceira 5 + calls in the evening; **7**<sup>th</sup> **Sep** Pico 4 at Lajes de Pico; **8**<sup>th</sup> **Sep** Pico 6; **9**<sup>th</sup> **Sep** Pico 6; **11**<sup>th</sup> **Sep** Terceira 2 (1 Lagoa do Ginjal, 1 Lagoa do Junco); **12**<sup>th</sup> **Sep** Terceira 1 juvenile at Pavl da Praia; **13**<sup>th</sup> **Sep** Terceira 1; **14**<sup>th</sup> **Sep** Flores 1; **15**<sup>th</sup> **Sep** São Miguel 7 and **16**<sup>th</sup> **Sep** São Miguel 4.

#### **COMMON BUZZARD** Buteo buteo rothschildi

Relatively common with best daily counts totalling up to 30 individuals on São Miguel. All daily counts: 3<sup>rd</sup> Sep São Miguel c30; 4<sup>th</sup> Sep São Miguel c30; 5<sup>th</sup> Sep São Miguel c30; 5<sup>th</sup> Sep São Maria harbour 7; 6<sup>th</sup> Sep Terceira 5; 7<sup>th</sup> Sep São Jorge 3 (seen from the Terceira–Pico ferry); 7<sup>th</sup> Sep Pico c10; 8<sup>th</sup> Sep Pico 6; 9<sup>th</sup> Sep Pico 4; 11<sup>th</sup> Sep Terceira 5; 12<sup>th</sup> Sep Terceira 6; 15<sup>th</sup> Sep São Miguel 7 and 16<sup>th</sup> Sep São Miguel c10.

### **MOORHEN** Gallinula chloropus

Only on Terceira: 10<sup>th</sup> Sep Terceira 17 at Pavl da Praia; 11<sup>th</sup> Sep Terceira 22 (15 Pavl da Praia, 7 Lagoa do Ginjal) and 12<sup>th</sup> Sep Terceira c10.

#### **COOT** Fulica atra

15<sup>th</sup>–16<sup>th</sup> Sep São Miguel 1 adult at Sete Cidades.

### RINGED PLOVER Charadrius hiaticula

Six or seven individuals: 5<sup>th</sup> Sep São Miguel 1 adult; 6<sup>th</sup> Sep Terceira 1 adult at the quarry; 11<sup>th</sup> Sep Terceira 1 juvenile at the quarry; 11<sup>th</sup> -13<sup>th</sup> Sep Terceira 3 adults at the quarry and 14<sup>th</sup> Sep Flores 1 adult.

### **SEMIPALMATED PLOVER** Charadrius

semipalmatus

6<sup>th</sup> & 11<sup>th</sup>-13<sup>th</sup> Sep Terceira adult winter-plumage at the quarry (likely the same bird).

#### **KENTISH PLOVER** Charadrius alexandrinus

Fairly numerous at the quarry on Terceira:  $6^{th}$  Sep Terceira c80;  $11^{th}$  Sep Terceira c100;  $12^{th}$  Sep Terceira c100 and  $13^{th}$  Sep Terceira c80.

#### **RED KNOT** Calidris canutus

A total five birds: **6<sup>th</sup> Sep** Terceira 3 juveniles (2 at the quarry, 1 Pavl da Praia); **7<sup>th</sup>-8<sup>th</sup> Sep** Pico 1 juvenile and **11<sup>th</sup>-13<sup>th</sup> Sep** Terceira 1 juvenile.

#### SANDERLING Calidris alba

Common at the quarry on Terceira (c70 being the highest count), but also recorded elsewhere in suitable places. All records: **3rd Sep** São Miguel 2; **4**<sup>th</sup> **Sep** São Miguel c15; **5**<sup>th</sup> **Sep** São Miguel 1; **6**<sup>th</sup> **Sep** Terceira c70; **10**<sup>th</sup> **Sep** Pico 1; **11**<sup>th</sup> **Sep** Terceira c50; **12**<sup>th</sup> **Sep** Terceira c35; **13**<sup>th</sup> **Sep** Terceira c50; **14**<sup>th</sup> **Sep** Flores 3; **15**<sup>th</sup> **Sep** Flores 1 and **16**<sup>th</sup> **Sep** São Miguel 7.

### LITTLE STINT Calidris minuta

11<sup>th</sup>-13<sup>th</sup> Sep Terceira 2 adults at the quarry.

### **CURLEW SANDPIPER** Calidris ferruginea

Only records were: 6<sup>th</sup> Sep Terceira 3 adults and 11<sup>th</sup>–13<sup>th</sup> Sep Terceira 2 adults.

# **SEMIPALMATED SANDPIPER** *Calidris pusilla* **6**<sup>th</sup> **Sep** Terceira 1 juvenile at the quarry.

**LEAST SANDPIPER** *Calidris minutilla* **6**<sup>th</sup> **Sep** Terceira 1 adult 1 juvenile at the quarry.

### BAIRD'S SANDPIPER Calidris bairdii

6<sup>th</sup> Sep Terceira 1 juvenile at Pavl da Praia.

### **PECTORAL SANDPIPER** Calidris melanotos

Four individuals were seen: 11<sup>th</sup>-13<sup>th</sup> Sep Terceira 1 juvenile at the quarry, 11<sup>th</sup> Sep Terceira 1 adult at Lagoa do Ginjal and 12<sup>th</sup> Sep Terceira 2 juveniles at Pavl da Praia.

### **BUFF-BREASTED SANDPIPER** Tryngites

subruficollis

11<sup>th</sup>–12<sup>th</sup> Sep Terceira 1 juvenile at the quarry.

### RUFF Philomachus pugnax

4 birds were recorded: **4**<sup>th</sup> **Sep** São Miguel 1 at Lagoa Azul; 5<sup>th</sup> **Sep** São Miguel 2 and **11**<sup>th</sup> **Sep** Terceira 1.

### SNIPE Gallinago gallinago

Up to 14 individuals: 8<sup>th</sup> Sep Pico 4; 9<sup>th</sup> Sep Pico 1; 11<sup>th</sup> Sep Terceira 8 and 14<sup>th</sup> Sep Flores 1.

# WOODCOCK Scolopax rusticola

14<sup>th</sup> Sep Flores 1.

### **BLACK-TAILED GODWIT** Limosa limosa

A total of six individuals were seen, including three juveniles of the subspecies *islandica*. All records:  $6^{th}$  &  $11^{th}$  Sep Terceira 1 adult 1 juvenile;  $13^{th}$  Sep Terceira 1 adult and  $16^{th}$  Sep São Miguel 3 juveniles of the subspecies *islandica* at Sete Cidades.

### WHIMBREL Numenius phaeopus phaeopus

Common but scarce, with 22 birds on the 11<sup>th</sup> Sep on Terceira being the best daily total. All daily records: 3<sup>rd</sup> Sep São Miguel 2 (1 Ponta dos Caetanos, 1 Vila Franca do Campo); 4<sup>th</sup> Sep São Miguel 6; 5<sup>th</sup> Sep São Miguel 2; 5<sup>th</sup> Sep Santa Maria harbour 3; 6<sup>th</sup> Sep Terceira 5;

7th Sep Pico 4; 8th Sep Pico 5; 9th Sep Pico 6; 10th Sep Pico 1; 11th Sep Terceira 22 (incl. a migrating flock of 14 birds to south); 12th Sep Terceira c12; 13th Sep Terceira 5; 13th Sep Flores 1; 14th Sep Flores 2; 15th Sep Flores 2 and 16<sup>th</sup> Sep São Miguel 4.

**REDSHANK** Tringa totanus 13<sup>th</sup> Sep Flores 1 at Lagoa Branca.

### GREENSHANK Tringa nebularia

Three birds: 7<sup>th</sup>–9<sup>th</sup> Sep Pico 1 adult winter-plumage; 9<sup>th</sup> Sep Pico 1 juvenile and 11<sup>th</sup>-13<sup>th</sup> Sep Terceira 1 juvenile.

### LESSER YELLOWLEGS Tringa flavipes

8<sup>th</sup> Sep Pico 1 juvenile in a nameless puddle up in the mountains near Pavl da Landroal.

**SPOTTED SANDPIPER** Actitis macularius 8<sup>th</sup>–9<sup>th</sup> Sep Pico 1 (possibly adult) at Lajes do Pico.

### COMMON/ SPOTTED SANDPIPER Actitis hypoleucos/macularius

6<sup>th</sup> Sep Terceira 1 seen briefly in flight.

### **TURNSTONE** Arenaria interpres

Common on all kinds of shores. Highest daily count was c80 on the 6<sup>th</sup> Sep on Terceira. Daily records: 3rd Sep São Miguel 8; 4<sup>th</sup> Sep São Miguel c35; 5<sup>th</sup> Sep São Miguel 7; 5<sup>th</sup> Sep Santa Maria harbour 12; 6<sup>th</sup> Sep Terceira c80; 7<sup>th</sup> Sep Pico c25; 8<sup>th</sup> Sep Pico c40; 9<sup>th</sup> Sep Pico c45; 11<sup>th</sup> Sep Terceira c70; 12<sup>th</sup> Sep Terceira c50; 13th Sep Terceira c50; 13th Sep Flores 3; 14th Sep Flores c20; 15th Sep Flores c15 and 16th Sep São Miguel c30.

WILSON'S PHALAROPE Phalaropus tricolor 16<sup>th</sup> Sep São Miguel 1 juvenile at Sete Cidades.

#### **ARCTIC SKUA** Stercorarius parasiticus

11 individuals in total, all observations: 3<sup>rd</sup> Sep São Miguel 1 off Ponta da Albufeira; 4th Sep São Miguel 3 at Vila Franca do Campo; 5<sup>th</sup> Sep Santa Maria harbour 1; 10<sup>th</sup> Sep Pico – Terceira ferry 4 and 16<sup>th</sup> Sep São Miguel 1 adult 1 juvenile at Mosteiros.

**LONG-TAILED SKUA** *Stercorarius longicaudus* 7<sup>th</sup> Sep Terceira – Pico ferry 2 adults.

### POMARINE/ARCTIC/LONG-TAILED SKUA

Stercorarius pomarinus/parasiticus/longicaudus 10<sup>th</sup> Sep Pico – Terceira ferry 2 distant birds.

### GREAT SKUA Stercorarius skua

5<sup>th</sup> Sep São Miguel – Santa Maria ferry 1 adult heading south.

#### **BLACK-HEADED GULL** Larus ridibundus

Three birds: 3rd Sep São Miguel 1 at Lagoa das Furnas; 6<sup>th</sup> Sep Terceira 1 adult and 12<sup>th</sup> Sep Terceira 2<sup>nd</sup>

LESSER BLACK-BACKED GULL Larus fuscus graellsii/intermedius

Daily counts sum up c110 birds and the biggest concentration was c50 on the 11th Sep on Terceira. All records: 3rd Sep São Miguel 8 (1 adult Villa Franca do Campo and 7 Lagoa do Fogo); 5th Sep São Miguel 2 adults; 7th Sep Terceira 2 adults; 8th Sep Pico 1 adult; 9th Sep Pico 2 adults; 11th Sep Terceira c50; 12th Sep Terceira c10; 13<sup>th</sup> Sep Flores 3 adults; 14<sup>th</sup> Sep Flores 3 adults: 15<sup>th</sup> Sep São Miguel 8 and 16<sup>th</sup> Sep São Miguel c25.

### YELLOW-LEGGED GULL Larus michahellis atlantis

Very common on all kind of shores and harbours. The greatest estimate was c5 000 on the 3<sup>rd</sup> Sep on São Miguel. Otherwise some hundreds seen almost daily. All daily counts: 3<sup>rd</sup> Sep São Miguel c5 000; 4<sup>th</sup> Sep São Miguel c1 000; 5<sup>th</sup> Sep Santa Maria harbour c40; 6<sup>th</sup> Sep Terceira c400; 7<sup>th</sup> Sep Pico c200; 8<sup>th</sup> Sep Pico c100; 9<sup>th</sup> Sep Pico c250; 11<sup>th</sup> Sep Terceira c2 000; 12<sup>th</sup> Sep Terceira c250; 13<sup>th</sup> Sep Flores c50; 14<sup>th</sup> Sep Flores c50; 15<sup>th</sup> Sep São Miguel c60 and 16<sup>th</sup> Sep São Miguel c350.

**GREAT BLACK-BACKED GULL** Larus marinus Four birds were seen: 3rd Sep São Miguel 2 2nd calyear at Vila Franca do Campo; 14th Sep Flores 1 adult and 16<sup>th</sup> Sep São Miguel 1 juvenile.

### ROSEATE TERN Sterna dougallii

Seen on eight days with the best count being c70 on the 12<sup>th</sup> Sep on Terceira. The harbour of Praia da Vitória seemed to be the best location. All records: 4<sup>th</sup> Sep São Miguel 2 adults 1 juvenile at Mosteiros; 6<sup>th</sup> Sep Terceira c20 at Praia da Vitória harbour; 7th Sep Terceira 8 at Angra do Heroismo harbour; **7**<sup>th</sup> **Sep** Pico c20; **9**<sup>th</sup> **Sep** Pico 12; **11**<sup>th</sup> **Sep** Terceira c30; **12**<sup>th</sup> **Sep** Terceira c70; 14<sup>th</sup> Sep Flores 3 and 16<sup>th</sup> Sep São Miguel 6.

### **COMMON TERN** Sterna hirundo

Very common and numerous. The highest numbers, c600 birds, were recorded both on the 4<sup>th</sup> Sep on São Miguel and on the 6th Sep on Terceira. All daily estimates: 3<sup>rd</sup> Sep São Miguel c400; 4<sup>th</sup> Sep São Miguel c600; 5<sup>th</sup> Sep Santa Maria harbour c70; 6<sup>th</sup> Sep Terceira c600; 7<sup>th</sup> Sep Pico c500; 8<sup>th</sup> Sep Pico c300; 9<sup>th</sup> Sep Pico c400; 11<sup>th</sup> Sep Terceira c300; 12<sup>th</sup> Sep Terceira c500; 13th Sep Flores c20; 14th Sep Flores c70; 15th Sep Flores c20; 15<sup>th</sup> Sep São Miguel c15 and 16<sup>th</sup> Sep São Miguel c150.

### **ROCK DOVE** Columba livia

Abundant, recorded every day. The highest estimate was c200 on the 3<sup>rd</sup> Sep on Terceira.

### WOOD PIGEON Columba palumbus azorica

Common, with a total of >70 individuals recorded. All records: **3rd Sep** São Miguel c10; **4<sup>th</sup> Sep** São Miguel 1 at Lagoa Azul; **6<sup>th</sup> Sep** Terceira 2; **7<sup>th</sup> Sep** Pico 3; **8<sup>th</sup>** Sep Pico 5; 9th Sep Pico 5; 11th Sep Terceira 15; 12th Sep Terceira c15; 15<sup>th</sup> Sep São Miguel 10 and 16<sup>th</sup> Sep São Miguel 7.

# LONG-EARED OWL Asio otus

5<sup>th</sup> Sep São Miguel 1 at dawn near the airport.

#### GREY WAGTAIL Motacilla cinerea patriciae

A very common species that occurred throughout the islands. Te highest daily estimate was c50 on the 3<sup>rd</sup> Sep on Terceira. Daily totals: 3rd Sep São Miguel n50; 4<sup>th</sup> Sep São Miguel c25; 5<sup>th</sup> Sep Santa Maria harbour 4; 6<sup>th</sup> Sep Terceira c30; 7<sup>th</sup> Sep Pico c30; 8<sup>th</sup> Sep Pico c40; 9<sup>th</sup> Sep Pico c40; 11<sup>th</sup> Sep Terceira c20; 12<sup>th</sup> Sep Terceira c15; 13<sup>th</sup> Sep Flores c20; 14<sup>th</sup> Sep Flores c30; 15<sup>th</sup> Sep Flores c15; 15<sup>th</sup> Sep São Miguel c30 and 16<sup>th</sup> Sep São Miguel c20.

#### ROBIN Erithacus rubecula

A common species all though not very numerous. All records: **3rd Sep** São Miguel 4; **4**<sup>th</sup> **Sep** São Miguel c12; **6**<sup>th</sup> **Sep** Terceira 4; **7**<sup>th</sup> **Sep** Pico 5; **8**<sup>th</sup> **Sep** Pico 4; **9**<sup>th</sup> **Sep** Pico 8; **11**<sup>th</sup> **Sep** Terceira 5; **12**<sup>th</sup> **Sep** Terceira 5; **15**<sup>th</sup> **Sep** São Miguel 12 and **16**<sup>th</sup> **Sep** São Miguel 8.

#### **BLACKBIRD** Turdus merula azorensis

A very common species in all kinds of habitats, with the best daily estimates being c40 on the 3<sup>rd</sup> Sep on São Miguel and on the 14<sup>th</sup> Sep on Flores. All daily sums: 3<sup>rd</sup> Sep São Miguel c40; 4<sup>th</sup> Sep São Miguel c25; 6<sup>th</sup> Sep Terceira 5; 7<sup>th</sup> Sep Pico 12; 8<sup>th</sup> Sep Pico 20; 9<sup>th</sup> Sep Pico c20; 11<sup>th</sup> Sep Terceira c15; 12<sup>th</sup> Sep Terceira 10; 13<sup>th</sup> Sep Flores 10; 14<sup>th</sup> Sep Flores c40; 15<sup>th</sup> Sep Flores c30; 15<sup>th</sup> Sep São Miguel c15 and 16<sup>th</sup> Sep São Miguel c20.

#### **BLACKCAP** Sylvia atricapilla gularis

Like Blackbird, but more confined to gardens and forests. Highest count was c70 on the 14<sup>th</sup> Sep on Flores. All daily totals: **3rd Sep** São Miguel c40; **4**<sup>th</sup> Sep São Miguel c30; **7**<sup>th</sup> Sep Pico 10; **8**<sup>th</sup> Sep Pico 10; **9**<sup>th</sup> Sep Pico 6; **11**<sup>th</sup> Sep Terceira 3; **12**<sup>th</sup> Sep Terceira 8; **13**<sup>th</sup> Sep Flores c20; **14**<sup>th</sup> Sep Flores c70; **15**<sup>th</sup> Sep Flores c10; **15**<sup>th</sup> Sep São Miguel 5 and **16**<sup>th</sup> Sep São Miguel c15.

#### **GOLDCREST** Regulus regulus inermis

Common in right kind of forest habitats up on high elevations. All observations: **8**<sup>th</sup> **Sep** Pico c15; **9**<sup>th</sup> **Sep** Pico 6; **13**<sup>th</sup> **Sep** Flores c25; **14**<sup>th</sup> **Sep** Flores c20 and **15**<sup>th</sup> **Sep** Flores 5.

### **GOLDCREST** Regulus regulus azoricus

Common in suitable forest habitats on São Miguel (only). All daily totals: **3rd Sep** São Miguel c25; **4**<sup>th</sup> **Sep** São Miguel c15; **15**<sup>th</sup> **Sep** São Miguel 10 and **16**<sup>th</sup> **Sep** São Miguel 5.

### STARLING Sturnus vulgaris granti

An abundant species in the countryside. Highest estimates were c200 individuals on the 3<sup>rd</sup> Sep on São Miguel and on the 9<sup>th</sup> Sep on Pico. All daily estimates: 3<sup>rd</sup> Sep São Miguel c200; 4<sup>th</sup> Sep São Miguel c120; 5<sup>th</sup> Sep Santa Maria harbour c25; 6<sup>th</sup> Sep Terceira c70; 7<sup>th</sup> Sep Terceira c150; 7<sup>th</sup> Sep Pico c50; 8<sup>th</sup> Sep Pico c50; 9<sup>th</sup> Sep Pico c200; 10<sup>th</sup> Sep Pico c100; 11<sup>th</sup> Sep Terceira c150; 12<sup>th</sup> Sep Terceira c70; 13<sup>th</sup> Sep Flores c40; 14<sup>th</sup> Sep Flores c60; 15<sup>th</sup> Sep Flores c35; 15<sup>th</sup> Sep São Miguel c50 and 16<sup>th</sup> Sep São Miguel c80.

#### **HOUSE SPARROW** Passer domesticus

Abundant, recorded every day, mostly in urban areas. Highest estimate was c700 birds on the 3<sup>rd</sup> Sep on São Miguel.

### CHAFFINCH Fringilla coelebs moreletti

Abundant in forest habitats and on high elevations, with the highest estimate being c300 birds on the 14<sup>th</sup> Sep on Pico. Daily estimates: 3rd Sep São Miguel c80; 4<sup>th</sup> Sep São Miguel c25; 6<sup>th</sup> Sep Terceira c20; 7<sup>th</sup> Sep Pico c200; 8<sup>th</sup> Sep Pico c300; 9<sup>th</sup> Sep Pico c200; 11<sup>th</sup> Sep Terceira c10; 12<sup>th</sup> Sep Terceira 5; 13<sup>th</sup> Sep Flores c40; 14<sup>th</sup> Sep Flores c40; 15<sup>th</sup> Sep Flores c30; 15<sup>th</sup> Sep São Miguel c30 and 16<sup>th</sup> Sep São Miguel c60.

### BULLFINCH Pyrrhula pyrrhula murina

**3rd Sep** São Miguel 14 at Serra da Tronquiera, most birds at the top, at the end of the road. Three 1<sup>st</sup>-years still in their post-juvenile moult were seen.

#### **CANARY** Serinus canaria

Like Chaffinch but mostly on rural areas and on lower elevations. Highest daily total was c300 on the 11<sup>th</sup> Sep on Terceira. Daily totals: 3<sup>rd</sup> Sep São Miguel c15; 4<sup>th</sup> Sep São Miguel 8; 5<sup>th</sup> Sep Santa Maria harbour 4; 6<sup>th</sup> Sep Terceira c15; 7<sup>th</sup> Sep Terceira 5; 7<sup>th</sup> Sep Pico c40; 8<sup>th</sup> Sep Pico c70; 9<sup>th</sup> Sep Pico c150; 10<sup>th</sup> Sep Pico c20; 11<sup>th</sup> Sep Terceira c300; 12<sup>th</sup> Sep Terceira c200; 13<sup>th</sup> Sep Terceira c50; 13<sup>th</sup> Sep Flores c80; 14<sup>th</sup> Sep Flores c200; 15<sup>th</sup> Sep Flores c150; 15<sup>th</sup> Sep São Miguel c30 and 16<sup>th</sup> Sep São Miguel c150.

### GREENFINCH Carduelis chloris vanmarli Recorded only twice: 4<sup>th</sup> Sep São Miguel 2 and 16<sup>th</sup> Sep São Miguel 10.

## GOLDFINCH Carduelis carduelis parva

Observed only on five days but with relatively good numbers: **3rd Sep** São Miguel c30; **4<sup>th</sup> Sep** São Miguel c40; **11<sup>th</sup> Sep** Terceira 1; **12<sup>th</sup> Sep** Terceira 1 and **16<sup>th</sup> Sep** São Miguel c40.