

Vietnam, December 14 -24, 2013.



Annam (Indochinese) Barbet. En split från Black-browed Barbet.

Deltagare: Bengt Sjöman, John Sandve och Bengt Legnell.

Resan planerades lite i en hast i slutet av November. Vi fick hjälp med logistiken av Bao i Saigon som även sände Thang; en av hans studenter från universitetet i Saigon där han undervisar, för att hjälpa till som tolk...och för att lära sig att guida och få träning med att arbestämma fåglar i fält. Båda Bengtarna och John har erfarenhet av att skåda i Sydostasien, och vi klarade oss riktigt bra utan en professionell lokal fågelguide...dessutom blev det en trevlig utmaning att klara av alla märkliga raser och splittar som man inte är så van vid från t.ex Thailand. Vietnam är ett mycket trevligt och förhållandevis billigt land att resa runt i – med en stor rikedom på fåglar – och fler endemer än något annat land i regionen.

Resan tog oss först till Di Linh och Dalat i det höglänt belägna centrala Annam – drygt 30 mil - på usla vägar - från Saigon för att sedan avslutas i lågländsskogen i nationalparken Cat Tien, mellan Dalat och Saigon – ca. 15 mil norr om Saigon - . Bao hade ställt en stor och rymlig 15-sittsig Mercedesbuss till vårt förfogande. Överlag klart godkänd inkvartering och smakliga måltider. Slutet av december är väl inte den optimala månaden att resa till Vietnam skådarmässigt. Regnperioden hade just slutat och träden var fortfarande mycket gröna (svårt att se) Gott om blodiglar i Cat Tien (små och ganska oansenliga) Bästa tiden är nog längre fram på vårkanten då Pittor och andra trevliga fåglar börjar hävda revir. Vi klarade dock av att hitta de flesta av våra målarter även i december och fick en artlista som vi är helt nöjda med.



Grey-throated Tit, en split från Black-throated Tit. Di Linh Pass.

Dalat-området. Vi tillbringade ca. 4 dagar i denna gamla f.d. koloniala franska höglandsresort. Numer har denna stad blivit en tillflykt för välbärgade Saigonbor som flyr sommarhetta eller avgasmolnen från en av världens mest förorenade städer. Resorts och lyxvillor skjuter upp som svampar ur jorden. Det finns dock flera mycket bra områden runt staden; Di Linh ca. 5 mil söder ut, Giang Ly ca. 4 mil öster ut. Ho Tuyen Lam dammen ca. 5 km söder om stadskärnan (speciellt de nord-västra delarna där det fortfarande finns en del skog kvar)



Entrén till Ta Nueng. Familjen som vaktar dalen ser till att ingen fågel-fångst sker här!

Naturligtvis kan man inte besöka Dalat utan att ha tagit sig till den sägen-omspunna Ta Nueng-dalen precis utanför staden. Ett tag såg det ut som om denna privatägda paradisdalgång - den enda tillgängliga lokalen för **Grey-crowned Crochias**- skulle ge plats åt ett stort resortkomplex. Detta är nu temporärt satt på is (bristande finanser) och fåglarna kan känna sig trygga ännu ett tag. (Vi såg 5 respektive 2 fåglar där under 2 besök till dalen under detta besök.



Vy över dalgången. Förutom Crochias ses många andra bra fåglar i denna dalgång.



Ta Nueng är enda stället där man kan se den endemiska och utrotningshotade Crochian.

Fler och fler områden öppnas nu upp för utländska fågel-skådare i Dalatområdet – tidigare var de inte tillgängliga för turism –.

Kanske kan tillresta skådare vända på nuvarande trend i landet där det blivit mycket populärt bland de bättre be-medlade att ha fåglar i bur eller aviarier. Fnittertrastar, Skrattgökar, Solfåglar, Starar, Flugsnappare & Bulbyler – allt sätts i bur och säljs vidare till samlare.

En fågelfångare jag talade med visade stolt upp listan på inspelade fågellåten han hade på sin mobil...direkt taget från Xeno-canto och "Birds of Asia"...listan såg lika dan ut som på min spelare (utom att namnen var på Vietnamesiska)...han refererade även från listan till fåglarna han hade i burarna.....

Mrs. Gould's Sunbird, Mugamaki Flycatcher, Japanese White-eye, Vietnamese Greenfinch (nästan försvunnen från Dalat pga. överfångst etc...han sätter upp näten och spelar dit fåglarna...




Vietnamese Cutia, Giang Ly.



Bengt S. begrunnar vad som kommer att hända ned denna Mrs. Gould's Sunbird i framtiden.

Om någon har ett par miljoner kronor och funderar på vad att göra när pensionsåldern närmar sig... varför inte satsa dessa på en liten miljö-vänlig skådar-resort i Ta Nueng dalen, Dalat. Ägaren har visionen att göra sin dal till ett internationellt skådar-center för hela Annam, ett av Syd-ost Asiens bästa fågelområden! Han söker en delägare till projektet.

Då kan Crochian räddas och förbli "svensk". Den samlades nämligen in för första gången 1938 av en svensk, Bertil Björkegren, som samlade in 5 fågelskinn till Naturhistoriska Riksmuseet i Stockholm. Ett par år senare beskrevs den vetenskapligt för första gången av Nils Gyldenstolpe från Riksmuseet. Sedan levde fågelarten vidare helt inkognito genom krig och politisk oro fram till 1995 då den återupptäcktes.



Silver-eared Mesia, Giang Ly



Vietnamese Greenfinch har blivit allt sällsyntare runt själva Dalat bl.a. p.g.a. fågelfångst. På landsbygden såg vi fortfarande mindre flockar.

Cat Tien. Vi tillbringade 4 nätter i denna Nationalpark, ca. 15 mil norr om Saigon. I parken kan man bl.a. se **Germain's Peacock-Pheasant, Siamese Fireback Pheasant, Green Peafowl, Bar-bellied Pitta, Blue-rumped Pitta & Orange-necked Partridge** (vi dippade de två sistnämnda - för tidigt på året! -)



Det är gott om andra typiska skogsfåglar i parken; **Hornbill, Trogoner & Broadbill**; etc. Vi såg **Green Peafowl, Siberian Rubythroats, Blue-bearded Bee-eater**; etc. utefter vägen som går igenom det öppna gräslandet söder om HQ.

På stigen som leder ner till "crocodile lake" såg vi bl.a. en grupp **Black-shanked Douc's** (en utrotningshotad och färggrann Bladapa)



År 2002 planterades ca. 40 kritiskt hotade Siamesiska Sötvattenkrokodiler ut i "Crocodile lake". Cat Tien. Idag finns det bortåt 1000 stycken här.



Green Peafowl ser lite annorlunda ut, gämfört med den Indiska (Blå). Den Gröna är större, grönare, med en mycket längre tofs

Sammanfattningsvis; vi hade en givande resa, ca. 250 arter under 8 dagar. Vietnam är ett ungt, spännande land att resa runt i. Landet förändras med stormsteg för att hitta sin plats "in the brand new world", men man har avsatt stora områden som nationalparker etc. Artrikedomen och antalet endemer har ingen match i övriga Sydostasien, utom Myanmar vad det gäller antal arter - Kanske 4 nätter i Cat Tien var en natt för länge, 3 räcker. Har man familj och barn med, kanske en avstickare från Dalat ner till badorten Na Trang vid kusten – vita stränder, korallrev och bra hotell- är en bra idé. Vägarna är fortfarande bristfälliga, men det går att enkelt och billigt flyga till Dalat eller Na Trang. (Flyg ena vägen, bil den andra)

Om någon är intresserad av att resa dit, hjälper jag gärna till med information etc. Skriv till;
kontakt@orientbirding.com

Artlista

Arter i **RÖTT** är endemer. Arter i **BLÅTT** är endemer för Indochina.
DL= Di Linh. D= Dalat. G= Gian Ly. C= Cat Tien. S= Saigon R=Road...utefter vägen.



Black Eagle, Di Linh

DUCKS:

1. Lesser Whistling Duck. C
2. Indian Spot-billed Duck. C

PARTRIDGES & PHEASANTS

3. Rufous-throated partridge. DL
4. Scaly-breasted partridge. DL, D, C
5. Red Jungle Fowl. C, GL
6. **Germain's Peacock-Pheasant. C**
7. Green Peafowl. C
- 8 **Siamese Fireback Pheasant. C**

STORKS, HERONS & BITTERNS & Darters

9. Wolly-necked Stork
10. Purple heron.
11. Intermediate Egret. C, R.
12. Little heron. R, D, C
13. Cattle Egret. D, G, C
14. Chinese Pond Heron. D, G, C
15. Little Heron. C
16. Black Bittern. S

17. Cinnamon Bittern. C

18. Oriental Darter. C

RAPTORS:

19. Osprey. D,G, C

20. Grey-headed Fish-Eagle. C

21. Crested Serpant Eagle. DL, D

22. Chinese Gooshawk. G

23. Crested Gooshawk. G

24. Black Eagle. DL

25. Oriental Honey Buzzard. DL

26. White-bellied Sea-Eagle. C

27. Grey-faced Buzzard. D

28. Rufous-winged Buzzard. D

29. Besra. G

30. Shikra. C

GREBES, SWAMPHENS, LAPWINGS ETC:

31. Little Grebe. D, G

32. White-breasted Waterhen. C

33. Black-backed Swamphen. C

34. Euro-asian Moorhen. C

35. Bronze-winged Jacana. C

36. Grey-headed Lapwing. C

37. Red-wattled lapwing. C

WADERS:

38. Common Snipe. D

39. Common Sandpiper. D,C

PIGEONS:

40. Rock Pigeon. DL, D, C, R, S

41. Mountain Imperial Pigeon. DL, D, G

42. Green Imperial Pigeon. C

43. Red Collared Dove. C

44. Spotted Dove. DL, D, G

45. Emerald Dove. C

46. Orange-breasted Green Pigeon. G

47. Thick-billed Green Pigeon. D, C

48. Pin-tailed Green Pigeon. D

CUCKOO-DOVE:

49. Barred Cuckoo-Dove. D

PARROTS:

50. Red-breasted Parakeet. C

51. Vernal Hanging Parrot. C

CUCKOOS:

52. Large Hawk-Cuckoo. C

53. Banded Bay Cuckoo. DL, C

54. Plaintive Cuckoo. C

55. Emerald Cuckoo. DL

56. Green-billed Malkoha. DL, C

57. Greater Coucal. DL, C

58. Lesser Coucal. C

OWLS:

59. Collared Scops Owl. C

60. Collared Owlet. DL, D

61. Asian Barred Owlet. DL, D, C

62. Brown Boobook. C

NIGHTJARS:

63. Great Eared Nightjar. DL, C

64. Large-tailed Nightjar. C

Swifts:

65. Germain's Swiftlet. DL, C

66. Forktailed Swift. DL, C

67. Crested Tree Swift. C

68. Asian Palm Swift. S

TROGONS:

69. Orange-breasted Trogon. C

70. Red-headed Trogon. DL

KINGFISHERS:

71. Common Kingfisher. DL,C

72. White-throated Kingfisher. R, DL, D, C

73. Black-capped Kingfisher. C

74. Pied Kingfisher. C

75. Stork-billed Kingfisher. C

BEE-EATERS, ROLLERS:

76. Chestnut-headed Bee-eater. DL, C

77. Blue-tailed Bee-eater. C

78. Blue-bearded Bee-eater. DL, C

79. Indian Roller. C

HORNBILLS:

80. Oriental Pied Hornbill. DL, C

81. Great Hornbill. C

BARBETS:

82. Red-vented Barbet. DL, D, C

83. Lineated Barbet. C

- 84. Golden-throated Barbet. DL
- 85. **Annam Barbet. DL, D, G**
- 86. Blue-eared Barbet. DL, D, C
- 87. Coppersmith Barbet. C
- 88. Green-eared Barbet. DL, C

WOODPECKERS:

- 89. White-browed Piculet. DL
- 90. Bamboo Woodpecker. C
- 91. White-bellied Woodpecker. C
- 92. Lesser Yellownap. D
- 93. Laced Woodpecker. DL, C
- 94. Common Flameback. C
- 95. Greater Flameback. C
- 96. Bay Woodpecker. G, C
- 97. Greater Slaty Woodpecker. C
- 98. Grey-capped Woodpecker. D

BROADBILLS & PITTAS:

- 99. Black&Read broadbill. C
- 100. Long-tailed Broadbill. DL
- 101. Dusky Broadbill. C
- 102. **Bar-bellied Pitta. C**

SHRIKE-BABBLERS, CUCKOO-SHRIKES, MINIVETS etc:

- 103. White-bellied Erpornis. G, C
- 104. Black-eared Shrike-Babbler. DL
- 105. Large Cuckoo-Shrike. DL, G
- 106. **Indo-Chinese Cuckoo-Shrike**
- 107. Black-winged Cuckoo-Shrike. DL, C
- 108. Bar-winged Cuckoo-Shrike. D
- 109. Ashy Minivet. C
- 110. Swinhoes Minivet. DL, C
- 111. Rosy Minivet. C
- 112. Long-tailed Minivet. DL, D, G

ORIOLES:

- 113. Black-naped Oriole. DL, C
- 114. Slender-billed Oriole. DL, D
- 115. Black-hooded Oriole. C
- 116. Maroon Oriole. DL, D, G

WOOD SWALLOWS, FANTAILS, MONARCS ETC:

- 117. Ashy Woodswallow. C
- 118. White-throated Fantail. DL, G
- 119. Pied Fantail. S
- 120. Black-naped Monarch. DL, C

- 121 Asian Paradise Flycatcher. C

DRONGOS:

- 122. Ashy Drongo. DL, D, C
- 123. Bronze Drongo. DL, C
- 124. Lesser Racket-tailed Drongo. DL, D
- 125. Greater Racket-tailed Drongo. DL, C
- 126. Hair-crested Drongo. DL, D, C

CROWS, MAGPIES ETC:

- 127. Large-billed Crow. R, C
- 128. **Indochinese Green Magpie. D, G**
- 129. Euroasian Jay. DL, D, G
- 130. Racket-tailed Treepie. C

IORAS, SHRIKES ETC:

- 131. Common Iora. D, C
- 132. Great Iora. C
- 133. Brown Shrike. DL, C
- 134. Burmese Shrike. DL, G
- 135. Long-tailed Shrike. DL

SUNBIRDS, SPIDERHUNTERS & FLOWERPECKERS:

- 136. Ruby-cheeked Sunbird. C
- 137. Purple Sunbird. C
- 138. Olive-acked Sunbird. D, C
- 139. Mrs. Gould's Sunbird. DL, G
- 140. Crimson Sunbird. C
- 141. **Black-throated Sunbird (johnsi) DL, D**
- 142. Van Hasselt's Sunbird. C
- 143. Little Spiderhunter. DL, C
- 144. Streaked Spiderhunter. DL, D; G, C
- 145. Fire-breasted Flowerpecker. D
- 146. Scarlet-backed Flowerpecker. C

LEAFBIRDS ETC:

- 147. Blue-winged Leafbird. DL, G, C
- 148. Golden-fronted Leafbird. C
- 149. Asian Fairy Bluebird. DL, D, C

MUNIAS & SPARROWS:

- 150. White-rumped Munia. DL
- 151. House Sparrow. S
- 152. Tree Sparrow.

PIPITS & WAGTAILS:

- 153. Olive-backed Pipit. DL, D, C

- 154. White Wagtail. D
- 155. Grey Wagtail. DL,D, G
- 156. Eastern Yellow Wagtail. D

CROSSBILLS; GREENFINSHES ETC:

- 157. Red Crossbill (Vietnamese) D
- 158. Vietnamese Cutia, G
- 159. Vietnamese Greenfinsh. D, G
- 160. Chestnut-vented Nuthatch. D
- 161. Hume's Treecreeper. G

MYNAS & STARLINGS:

- 162. Golden Crested Myna. C
- 163. Common Hill Myna. C
- 164. White-vented Myna. C
- 165. Common Myna. D
- 166. Vinous-breasted Starling. D, C
- 167. Black-collared Starling. D, G, C
- 168. Pied Starling. D

THRUSHES:

- 169. White-throated Rock Thrush. D
- 170. Blue Rock Thrush. G
- 171. Blue Whistling Thrush. D, C

REDSTARTS, SHORTWINGS, ROBINS, Chats etc:

- 172. Plumerous Redstart. G
- 173. Lesser Shortwing. D, G
- 174. White-rumped Shama. C
- 175. Oriental Magpie Robin. C
- 176. White-tailed Robin. D
- 177. Siberian Rubythroat. C
- 178. Grey Bushchat. D, G
- 179. Eastern Stonechat (*Maura*) D, C
- 180. Pied Bushchat. C
- 181. Slaty-backed Forktail. G, D

FLYCATCHERS:

- 182. Ferruginous Flycatcher. C
- 183. Little Pied Flycatcher. D, G
- 184. Mugamaki Flycatcher. DL, D, G
- 185. Taiga Flycatcher. D, C
- 186. Asian Brown Flycatcher. DL, D, G, C
- 187. Hill Blue Flycatcher. D
- 188. Tickel's Blue Flycatcher. C
- 189. Large Niltava. D, G
- 190. Verdiater Flycatcher. DL, D, C
- 191. Grey-headed Canary Flycatcher. D, G, C

- 192. Snowy.browed Flycatcher. G

TITS:

- 193. Green-backed Tit. D
- 194. Yellow-cheeked Tit. G
- 195. Grey-crowned Tit *annamensis*. DL

BULBULS:

- 196. Red-whiskered Bulbul. G, D
- 197. Ashy Bulbul. DL, D, G
- 198. Soothy-headed Bulbul. C
- 199. Black Bulbul. DL, D
- 200. Yellow-vented Bulbul. S
- 201. Black-headed Bulbul. G, C
- 202. Black-crested Bulbul. DL, D, G, C
- 203. Stripe-throated Bulbul. C
- 204. Flavescent Bulbul. DL, D, G
- 205. Streak-eared Bulbul. DL, C
- 206. Grey-eyed Bulbul. D
- 207. Puff-throated Bulbul. DL, C
- 208. Mountain Bulbul. D, G

SWALLOWS:

- 209. Barn Swallow.
- 210 Red-rumped Swallow. DL, C
- 211. Pacific (House) Swallow. C
- 212. Sand Martin. C
- 213. Asian House Martin. DL.

WARBLERS ETC:

- 214. Oriental Reed-Warbler. C
- 215. Blyth's Leaf Warbler. DL, D, G
- 216. Pale-legged Leaf Warbler. C
- 217. Yellow-browed Warbler, DL, D, G. C
- 218. Dusky Warbler. C
- 219. Two-barred Warbler. DL.
- 220. Arctic Warbler. C
- 221. Grey-cheeked Warbler. G

BABLERS ETC:

- 222. Mountain Fulvetta. DL, D, G
- 223. Black-browed Fulvetta. DL, G
- 224. Japanese White-eye. DL
- 225. Rufous-capped Babbler. DL, D, G
- 226. Chestnut-capped Babbler. C
- 227. Grey-throated babbler. DL, D
- 228. Grey-faced Tit-Babbler. C
- 229. Puff-throated Babbler. DL, D, C

- 230. Abbot's Babbler. DL
- 231. Pin-striped Tit-Babbler. C
- 232. Eye-browed Wren-Babbler. D
- 233. White-crested Laughingthrush. DL, C
- 234. Black-hooded Laughingthrush. G
- 235. White-cheeked Laughingthrush. DL, D, C
- 236. Orange-breasted Laughingthrush. DL
- 237. Vietnamese Cutia. G
- 238. Blue-winged Siva *orientalis*. D, G
- 239. Grey-crowned Crocias. D
- 240. Rufous-backed Sibia. D
- 241. Black-headed Sibia *robinsoni*. D
- 242. Silver-eared Mesia. G

TAILORBIRDS; PRINIAS ETC:

- 243. Common Tailorbird. DL, D, C
- 244. Dark-necked Tailorbird. DL, D, G, C
- 245. Ashy Tailorbird. S
- 246. Yellow-bellied Prinia. C
- 247. Plain Prinia.
- 248. Hill Prinia. D
- 249. Bright-headed Cisticola. C
- 250. Black-chinned Yuhinna. DL



gott om blodiglar (små, ofarliga) Cat Tien



Green Imperial Pigeon.