




Tigrinnan Noor drottning av Ranthambore och alla andra bilder tillhör Peter Olsson.

## Norra Indien 10/11-29/11-2014

Upplägg mm

Resekamrater var Peter Olsson Ludvika (fotografen) Petter Olsson Lund ("organisatören") och David Erterius Malmö ("a sort of guide", egen utsago) och jag själv ("massör/kassör"). David skulle göra en rek-resa till Norra Indien inför resan som Guide med Rockjumper. Jag fick förmånen att följa med. Mycket tacksamt. David ordnade alla bokningar och resor i Indien via Rockjumpers kontakter. Det hela fungerade utmärkt.



## RESRUTT

- 9/11 Avresa från Stockholm via Doha till New Delhi, huvudstad i Indien.  
10/11 Framme i ND kl 08.00 Gänget samlas. Skådning på em-kväll runt hotellet i ND.  
11/11 På fm tåg till Ranthambore NP, skådning från tåget, framme på em. Boende på fin Lodge nära nationalparken. Skådning i NP resten av dagen.  
12/11 Skådning och "tigerjakt" i NP med Guiden Joti, jeeptur på em till dammen.  
13/11 Skådning vid Banas River hela dagen och kvällen i NP med Joti.  
14/11 Jeep-utflykt söderut till lunch därefter tåg till Barathpur. Natt i lyxhotell.  
15/11 Till Keoladeo NP hela dagen med avslutande skådning efter ökenlöpare.  
16/11 Keoladeo hela dagen, Natt på lyxhotell igen.  
17/11 Tidigt mot Chambal river med stopp i Agra och Taj Mahal. Flodtur em och Ganges delfin.  
18/11 Morgonskådning vid Chambal Lodge, återfärd till Delhi. Nattåg mot Ramnagar i norr  
19/11 Skådning från gryning till afton utanför Corbett NP, Natt i den skapliga Lodgen Quality Inn.  
20/11 Skådning hela dagen i bergen norr om Corbett NP. Natt Q Inn  
21/11 Till Corbett NP skådning efter vägen och i parken. Spartanskt boende i NP.  
22/11 Gryning till solnedgång i NP.  
23/11 Gryning i parken och avfärd efter lunch mot Nainital. Kall natt på hotellet.  
24/11 Skådning och vandring i bergen hela dagen nordost om Nainital. Natt i Nainital.  
25/11 Till Sattal skådarstopp under färden, skådning i dalen hela dagen, åter till Nainital.  
26/11 Skådning nordost om Nainital hela dagen.  
27/11 Skådning i annan del av Sattal och andra dalar.  
28/11 Start i Nainital därefter till Sattal och återresa till Delhi med nattåg.  
29/11 Tidigt framme till ND, färd till Okhla NP, sjö och träskområde i Delhi. Skådning till em.  
30/11 Avresa mot Sverige på natten hemma i Nyköping mitt på dagen.



## INLEDNING

### Wire-tailed Swallow

David hade planerat hela resan som var en rek-resa för hans del då han skulle guida en grupp för Rockjumper i december.

Resan blev en härlig totalupplevelse. Totalt såg vi 430 fågelarter och 27 däggdjursarter. Upplägget liknade mycket de resor som Rockjumper gjort i landet tidigare.

Vi besökte Ranthambore NP ett fantastiskt tigerreservat 40 mil sydost om Delhi. Detta bergiga och skogrika område hyser gott om vilda djur och fåglar. Tamboskap och andra mänskliga aktiviteter är förbjudna innanför muren som omgärdar denna jättepark. Massor med turister kommer hit för att se på tiger och de överlägset flesta av dem är indier. Tigrar kan självklart ta sig ut vilket skapar problem då området är omgivet av odlingar och människor i alla väderstreck. Vårt tigermöte var spektakulärt. Tigerhonan Noor gick sakta förbi vår öppna Jeep ca 3 meter bort, väl nära kan tyckas. Tågresan gick

sen tillbaka till Barhatpur med det gamla jaktreservatet Keoladeo NP. Det är ett riktigt våtmarkseldorado vars syfte är att locka in övervintrande och häckande fåglar. Mängden änder och hägrar var redan enorm och mer skulle komma. Via Agra åkte vi till Chambal River med floddelfin och den märkliga Gavialen samt krokodilsläktingen, Muggar. Denna är en riktig best och människoätare. Sedan bar det norrut via Delhi till Ramnagar och Corbett NP. Denna nationalpark består av berg, skog och en jättelik damm centralt. Den är 15 mil lång och 5 mil bred utan boningar eller odlingar. Hit åker också många för att titta på tigrar. Detta är ett uggle- och rovfågelseldorado, vi såg över 25 olika arter rovisar. Därefter åkte vi uppåt till Nainital 2000 m. ö.h. Staden blev bas för vår bergsvistelse och där bodde vi fem nätter. Här uppe hade vi flera riktigt sällsynta arter. Vädret var fint, sol och för årstiden varmt med några få regndroppar i bergen. Fågelmässigt lyckades vi maximalt tycker jag. Min förväntan var 50 nya arter då jag varit i Nepal på våren, men det blev ca 70 nya X. Vi fick se en del "Himalaya-arter" trots att vi inte var uppe så högt. Vi såg 35 arter rovfåglar bla den mäktiga snögamen. Grabbarna tog mängder av fågelbilder vilket skulle visa sig bra vid senare artdiskussioner. Bilderna i denna berättelse kommer från Peters kamera.

RESEDAGBOK

### **Söndag 9 november**

Jag åkte buss från Nyköping i ottan och flyget lämnade Arlanda på utsatt tid. Mellanlandningen i Doha varade några timmar. Jag kåkade på Burger King med en ung kille som skulle åka själv till Indien och träffa en tjej som han bara träffat på nätet, jag undrar hur det gick.



### **Måndag 10 november**

### **Shikra**

Vi landade enligt tidtabellen i det gigantiska New Delhi. Peter och Petter som anlant ett par timmar tidigare väntade vid huvudingången. Efter en del diskussioner med taxikillar blev vi lurade på priset men kom ändå till vårt hotell. Incheckningen gick snabbt och vi började skåda i trädgården med omgivningarna. Ett fyrtiotal arter noterades varav två nya för mig, Braminstare och Brown-headed Barbet. Dessutom sågs Påfågel, Shikra, Yellow-footed Green Pigeon 6, Indisk blåkråka, smyrnakungsfiskare, Rufous Treepie, Black Drongo, Coppersmith Barbet, Wire-tailed Swallow+20, Bergstaigasångare allm, White-breasted Waterhen, Common Myna, Asian Pied Starling, Purple

Sunbird 4, mindre flug mm. Efter några timmar anlände David som varit med en grupp och letat snöleopard i Ladak, utan framgång dessvärre. Vi tog ytterligare en promenad och på kvällen fantiserade vi om kommande tigmöten.



#### **Tisdag 11 november**

Vi lämnade tågstationen i ND i rätt tid och äventyret började med riktning mot Ranthambore NP känt för sina tigrar. Det var en behaglig resa i de ganska obehagliga vagnarna ca 40 mil åt sydost. Vi fick en fisksoppa som hette kaffe och slöskådade genom fönstren. Blacknecked Stork 1 juv, Saurus trana 3, Painted stork 3, ullhalsstork, Nilgai 2 (en jätteantilop) mfl arter. Resan gick bra och vi blev hämtade av Joti som skulle vara vår guide dagarna här nere. Efter lunchen skådade vi snabbt igenom trädgården



vilket gav Common lora, Indian Robin +10, Common Woodshrike mfl sedan begav vi oss till NP. Vi åkte omkring på småvägar i parken till kvällningen. 3 timmars intensivt tittande på allt. Det var bud på tiger flera ggr då vi hörde varnade Sambarhjortar och langurer. Nilgai, Axishjortar och vildsvin var vanliga. I floden fanns gott om träskkrokodiler så inte sänkades byten för stora kattdjur. Man fick inte



lämna bilen så all skådning blev från den öppna jeepen. Det var fåglar överallt och vi fick ihop ca 60 arter bla hittade Peter ett par Painted Spurfowl som är riktigt vackra. Övriga att nämna är Indian Vulture ett par på sin bohylle, Grey Francolin flera, Sirkeer Malkoha, Dusky Eagle Owl, White Bellied Drongo, Dusky Crag Martin +20, Brown Chat, Bay-backed Shrike. När

### **Dusky Eagle Owl**

vi skulle lämna parken stod en bil parkerad i vägkanten. De tittade upp mot en liten bergskant helt nära och där i skuggan under ett träd låg en leopard och kikade ner på oss. Efter några minuter reste den sig och vände in bland träden och därmed var könsbestämningen klar, magiskt och helt otippat. Jag trodde inte ens att chansen fanns. I skymningen var vi åter till hotellet och kvällen avslutades med 4 Painted Sandgrouse som flög förbi. Det var mycket att prata om vid matbordet och ölen var kalla. Vi fick alla artsupar efter förstånd.



### **Painted Spurfowl**

#### **Onsdag 12 november**

Klockan ringde den stora dagen. Joti hade sagt att vi skulle få se tiger idag. Så vad kunde gå fel. Min mage. Vilket gjorde att jag glömde min filmkamera. Vi är på plats vid Jotis favoritställe en liten dalgång, i rätt tid. Här sitter ett par Indian Scops Owl i ett håll. Dessförinnan hade vi sett färsk spår av läppbjörn. Det var gott om villebråd i parken, Indian gazelle, Sambar, Axishjort, Nilgai mm.



Langurerna och en Sambar varnar. Tigervarning säger Joti. Vi åker mot platsen och en bit upp i skogsslutningen står en jeep, de pekar åt höger. Det rör sig bland buskarna och ut kommer Noor.




En tighona med två ungar i år. Hon glider förbi oss på 40 meters håll. Flera bilar med tigerskådare anländer. Vi åker tillbaka till dalgången säger Joti. Efter ca 30 min hörs varningar och hon kommer nerglidande från slutningen, rakt mot oss. När hon är framme vid bilen (kikare har varit onödigt i flera minuter) stannar hon upp tittar rakt på oss. 3 meter bort!!! Fräser ett par gånger, rundar bilen



och kissmarkerar mot oss rakt bakåt. Nu har flera bilar anlänt och full kalabalik utbryter. Alla följer Noor som lojt glider fram på körvägen. Alla vill se, fota, filma och vara nära. Närmare än tre meter är svårt att vara utan att det ska bli obehagligt. Vi lämnar kalabaliken och åker tillbaka till savannen. Här ser vi Indian Bushlark 7, Rufous-tailed Lark 2, Ashy-crowned Sparrow-lark 5, White-capped Bunting 5, babblare mfl. Inne bland acaciorna hörs hackspettar, 2 st White-naped Woodpeckar. Dags för lunch (inte jag) och vila. Min mage är nu i riktigt olag med feber. Efter ett par

rejåla tömningar samlar jag ihop mig och följer med till stora dammen. **Indian Skimmer 2** , Baya





### **Black-bellied Tern**

Weaver 5, Indian Thick Knee +15, Black bellied Tern 2 ad och 3 1K, River-tern 30, massor av vadare och hägrar. Dessutom en del gamla bekanta, vit pelikan, citronärta, blåhake, ökenstenskvätta mfl. Vi åker hem till hotellet för lite kvällsskådning och vad hittar vi där, Yellow-legged Buttonquail 3 ex vilka det blev långa diskussioner om, då arten aldrig noterats av Rockjumper. Vi såg flera vid ytterligare tillfällen på samma plats. ( När resan var över hade vi sett 13 arter som Rockjumper aldrig noterat på någon av sina flertaliga resor, så vi konstaterade att "de inte skådat som det var tänkt".)



### **Torsdag 13 november**

Idag bar det norrut till Banas River. Vi stannade till i odlingslandskapet där det var mycket rörelse i gryningen. Stäppsparv +400, rosenstare 80, korttålrkor, Indian bushlark 20, Oriental Skylark 5,

### **Indian Thick Knee**





**Painted Sandgrouse**  
**Sikeer Malkhoha**



Ashy Crowned Sparrow-lark+50 mfl som födosökte på slätten. Ett par Common Babbler matade en ivrigt tiggande juv Common Hawk-cuckoo. Längre fram stannade vi vid kanten på NP. Uppe i bergssidan smög något stort. Två vargar, mycket överraskande. Ett stopp senare blev mycket produktivt.



#### **Variable Wheater**

Petter hittade en leopardsvans som smög iväg och fåglarna sjöng i den svala gryningen. Sikeer Malkhoha, Isabelle Shrike +10, blåtrast 2, Rufous-tailed Lark 2, Variable Wheater 5, Bay Backed Shrike 5, Long-tailed Shrike 15, chats, prinior mfl var aktiva i gryningen. Vid Banas River är artrikedomen och antalet fåglar stort, hägrar, storkar och änder. En Oriental Pratincole visade sig kort ett par ggr. Kaveldunssångare mfl småfåglar och 10 st Greater Thick-knee platsens målart var väldigt "tama". Det var gott om piplärkor och ärlor bla flera av den gulhövdade gulärlan "lutea". När vi kände oss klara vände vi åter och Joti stannade på ett säkert ställe för Yellow-wattled Lapwing, vi såg tre, resans enda. På em-kvällen var vi åter inne i parkens skogiga delar och belönades med ett par Yellow Crowned Woodpecker, Painted Spurfowl 5, Western Crowned Warbler, Small Minivet och flera Tickells Blue Flycatcher. Efter middagen tog vi en sväng i mörkret med Joti och hittade en Large-tailed Nightjhar i kanten på NP. Denna dag såg vi ca 150 olika arter





**Fredag 14 november**


**Black Buck**

Sista förmiddagen här nere skulle vi leta Indisk ökenlöpare söderut vilket inte gick vägen. Däremot fick vi se två flockar med den fantastiska Black Buck. En enormt tjusig gasell. Bland odlingarna fanns



**Barred Buttonquail**

100-tals stäppsparvar, rosenfinkar, korttålarikor, rosenstarar, Barred Buttonquail 3 mfl. En sista titt på den sydliga delen av stora dammen gav bla svarthuvad trut, flamingo och allehanda vadare. Vi



### **Rosenstarar, Klippduva och Red Dove**

tackade Joti för ett fint jobb och tipsade honom och dagens chaffis rejält. Tåget till Bharatpur gick enligt tabellen. Här bodde vi på lyxhotell, maharadjans gamla jaktresidens som hade en stor park med en del fåglar bla Orange-headed Thrush, Grey Hornbill, Lundsångare mfl. Peter kom äntligen iväg till frisören, vilket inte var särskilt kostsamt. Han betalade 12 kr vilket var den dubbla taxan. Matsalen var magnifik och ölen god. Maten var den vanliga buffen, vilken skulle förfölja oss genom hela resan.

### **Lördag 15 november Black Necked Stork, mfl**



Efter sedvanlig frukost med scrambled eggs och kaffe åkte vi till Keoladeo NP. Maharadjans gamla jaktpark var nu restaurerad så att den inte skulle torka ut, därmed övervintrar mängder med våtmarksfåglar och rovisar. Vi började i de torra områdena för att leta rubinnäktergalar vilket inte gav så mycket. I och vid dammarna fanns det "grejor" Bronze-winged 5 och Pheasant-tailed Jacana 10,



Jacobin Cuckoo, sumpvipa 20, Black Necked Stork 8, Painted Stork 30, Asian Openbilled Stork, Sarus trana 4, stripgås 11, Comb Duck+30, Indian Spot-billed Duck +100, grön-häger 1, Black Bittern 2 med det rika fågellivet följer också predatorer. Vi såg två 20 arter bla Indian Spotted Eagle 1, Braminy Kite 1 imm (otippat), Hökörn 3 ex, Dvärgörn 4, Red-headed Vulture 2, Crested Honey Buzzard 2, Kejsarörn 3 (minst), Stäpphök 2 och 20 Större Skrikörn. Av småfåglar kan nämnas Verditer Flycatcher, Bay-backed Shrike, Purple Sunbird 5 etc. På sena eftermiddagen åkte vi till ett odlingslandskap ca 2 mil NV om staden. Här fanns inte mindre än 11 Indian Courser. I stadens äckligaste dike stod en **rallbeckasin**. Denna natt hade grannarna hinduisk fest.



Söndag 16 november

Saurus Crane



Samma som i går, men med cyklar. Vi letade tättningar på fält och i buskridåer vid kanalerna vilket gav resultat. Mongolpiplärka 1, sibirisk piplärka 3, Paddyfield Pipit 8, busksångare allm, papyrussångare 2, White-eared Bulbyl allm mfl. Petter fick syn på en liten rackare som vi alla fick se bra, Brooks Leaf Warbler som var ganska vanlig här enligt vår guide. Vi hittade två. Peter ville inte vara sämre så han



hittade en grässångare, resans enda. Det vimlar av allehanda våtmarksfåglar och rovisar, ett riktigt eldorado. Området gav tre arter som aldrig rockjumper noterat, lärkfalk, braminglada och Jakobin Cuckoo. **Black Bittern**  
**Solbadare och Indian Spot-billed Duck**



**Större skrikörn**  
**Måndag 17 november**  
Denna dag åkte vi österut och passerade Agra på väg mot Chambal River. I Agra stannade vi utanför palatset och tittade på glador, smutsgamar och 100-tals House Swifts vi såg också Taj Mahal i fjärran men skådartid är dyrbar så vi avstod besök. Vår chaffis

"lurade" däremot in oss i en lyxig butik för diverse handarbeten och möbler/statyer men de fick inget sålt. Efter en långsam färd till vår "delfinlodge" var vi ändå framme i god tid för öl och lunch. Vi bestämde att åka till floden direkt. På stranden hoppade några Sandlark. I flodkanten sprang en Brown Crake och ett par Indian Skimmer stod på en bank. Muggar-krokodiler var vanliga och vi såg



ett 20-tal av den märkliga urtidslika **gavialen**. Det var också gott om sköldpaddor av flera arter. En Ganges-delfin visade sig ett antal ggr men kom inte med på bild. 10-talet Chestnut-bellied Sandgrouse flög över och längs floden såg vi River Tern 15, Black-bellied Tern 12 ad och 3 juv minst. Svarthuvad trut, 10 River Lapwing och 10 Greater Thick-knee var andra arter här. I skymningen rastade 100-tals korttålarörkor och ett par hundra ärlor flög förbi. Mycket nöjda med flodturen (grabbarna fick fantastiska kort) åkte vi till Lodgen där vi fick resans bästa mat. **Spotted Owlet**



En promenad i trädgården gav Asian Palm Civet 5 och Spotted Owlett 5. Vår lokala guide berättade att Brown Hawk Owl inte hade kommit dit än. Killarna gick och lade sig. Men jag kunde inte nöja mig, utan gick ut igen lite senare. Plötsligt började en hoa så det var bara att väcka kamraterna. Vi såg två, men det fanns tre i området vad vi kunde höra. Det var många däggdjur i och omkring "parken". Golden Jakal +5 som David lockade till oss (5 meter) genom att spela in och spela upp deras läten. Indian Hare +10, Nilgai +10, Spotted Deer +10 var andra närgångna däggdjur.

**Tisdag 18 november      Brown-headed Barbet**



Jag var uppe i gryningen och skådade, Orange-headed Thrush, lundsångare 10, bergstaiga allm , Sibirisk piplärka 3 mm. Lite senare gick vi en promenad med guiden men vi var mkt bättre på att hitta fågel och tog över det hela. Petter luskade fram Thick-billed Flowerpecker 4 och en snabb flugsnappare, till slut hade även David sett den bra och vi kunde enas om att det var en ung hane Ultramarine Flycatcher, en svår art. Det var mycket fåglar i anslutning till den planterade "trädgårdsskogen" och omkringliggande odlingar, Yellow-footed Green Pigeon 30, Brown-headed Barbet 4, **Coppersmith Barbet** 3, Indian Grey Hornbill 10 och + 20 härfåglar.



I ett stort träd hängde +50 Indian Flying Fox. Det var lång väg till Delhi så vi åkte kl 10 ty vi ville komma fram innan mörkret. Resan var rätt enahanda men ett par Sarus Crane, 30 smutsgamar och en örnvårk sågs ändå. Vi kåkade på Indiens dyraste vägkrog vilket inte David uppmärksammat ölen kostade 40 spänn. I ND





### **Thick-billed Flowerpeckar**

blev vi sittande på en fin "turist" bar och väntade på nattåget till Ramatnagar. Tur att natten innan varit bra, det var överlag bra sängar där vi bodde under resan. Nattåg i Indien är en säregen upplevelse, tur att jag bara fick kramp i benen ett par gånger under natten. Träbritsen var ändå rätt hyfsat lång ca 175. Davids underben och jättefötter stack ut 30 cm i den 60 cm breda gången.

### **Onsdag 19 november**

Efter att några timmars skakig slummer var vi framme enligt tidtabellen, alltid i rätt tid, märkligt i detta jätteland. Vi blev upphämtade och körda till ett lyxhotell som drevs av en lokal researrangör. Vi gjorde upp om priset för extra bil och åt frukost, det skulle bli en lång dag i skådningsens tecken. Första stopp var Kosi River för Ibisbill. Det tog inte



många minuter innan två var X-ade och fotade. Jag hade mina obsar kvar på näthinnan sedan vårens utflykt till Nepal men dessa var också väldigt fina. Pied-, Common- och Crested Kingfisher var vanliga och 2 Brown Dipper hoppade upp och ner i vattnet. White-capped-, Plumbeous Water Redstart och Blue Whistling Thrush var allmänna. En murkrypare kröp på stenarna i vattenkanten, vi kom att få se flera med detta beteende. I skogskanten hittade vi en Aberant- och några Grey-sided Bushwarbler. Emerald Dove flög över och en Rufous Gorgated Flycatcher satt och sjöng. Alla helt nya arter mot låglandet. Ett stopp vid en bäckravin med höga träd blev produktivt. Ett "birdparty" med i detta stort och smått såsom Blue-winged Minla 2, Chestnut-bellied- och Velvet



Fronted Nuthatch, Bar-tailed Treecreeper, Tickells Leaf Warbler, Large Cuckoo-shrike mfl en bit upp i trädkronorna satt 6 Oriental Pied Hornbill. Detta första skogsstopp gav ca 40 arter. Vi åkte upp längs en liten å för att leta Large-billed Thrush och Petter hittade en död!!! Helt oskadd låg den där i gräset, märkligt. Hela detta område var mkt bra för bla hackspettar 7 arter, en Rufous Woodpecker resans enda. En ad Besra hane poserade och det fanns 2-3 Green Magpie här. Yellow Bellied- och White-throated Fantail var vanliga. Det var gott om småfågel och sångare, såsom Chestnut Headed- och Grey-bellied Tesia, Grey Hooded Leaf W +50, Lemon-rumped W +10, Blyths Leaf W 1, Whistlers W 1 och Chestnut Crowned Warbler. Vi åkte hit på em också vilket gav resan enda Bluebearded Bee-eater 2 st. Snart lärde vi oss sången av den ytterst skulkiga Puff-throated Babbler, Rufous-bellied Niltava

var också ny för resan. Vi bodde på Quality Inn två nätter, nere vid floden hittade vi en ung Golden-fronted Leafbird. Samma gamla buffé tur att det fanns öl och coke till Petter.

**Torsdag 20 november Small Niltava**



I dag åkte vi en tur upp i bergen, vi hade med oss picnic. Målet var en utsiktsplats för rovisar. Ett flertal stopp på vägen upp gav Grey-backed Shrike, Rufous-bellied Niltava 4, Slatyheaded Parakeet 20, Blåstjärt, Red-billed Blue Magpie 7, Spotted Forktail, Green-tailed Sunbird, Crimson Sunbird 5, Pale-billed Flowerpecker 6 mfl. Vid en bergskant svepte svalor och seglare fram bla Asian House Martin 5, Himalayan Swiftlet 5, White-rumped Spinetail, Klippsvala 5. Utsiktsplatsen gav Bandhavsörn 2, Snögam 16, Changeable Hawk Eagle, Grågam 4, Stäppörn 20, Hökörn 6, ormörn, pila 4, Ullhalsstorkar mm. Tillbakavägen gav flera bra obsar Fire-capped Tit 2, Brown-fronted Woodpecker 2, Russets Sparrow 2, Yellow-breasted Greenfinch 30, Oriental Turtle Dove 2, Himalayan Bluetail 3, Buffbarred Warbler 1, Blue-capped Redstart 25. En mycket skulkgig piplärka kom till slut på bild, **Upland Pipit**, en sällan skådad art.





### **Brown-fronted Woodpecker**

Efter artgenomgång och artw..y blev grabbarna trötta. Jag gick en sväng ner till floden. Knäpptyst, plötsligt började en Barking Deer varna kraftigt, hmmm... jag gick rask tillbaka.

### **Fredag 21 november**

Mot Corbett NP. Vi skådade oss sakta fram längs vägen till huvudentrén då vi fick komma in först kl 11. Dessa stopp gav Collared Falconet, större turturduva, Pin-tailed Pigeon, Great Hornbill 2, Great Slaty Woodpecker 2, Sprangled Drongo 5, Little Pied Flycatcher, Rusty-cheeked Scimitar-babbler 3, Brown Rock-chat mm. Väl inne i parken fick man inte lämna bilen utom på vissa obs-platser, men det gick bra. Det var ca 4 mil till Lodgen och vi stannade (ca 20 ggr) så fort som vi kom i ett "party" eller någon hittade något kul, så vi kom fram sen eftermiddag. Vid första stoppet vimlade det av "smått" Red-billed Leiothrix 3, Chestnut Crowned Warbler 1, Whistlers Warbler, Blue-winged Minla 5, Black-chinned Babbler 5. Nästa stopp gav Black-crested Bulbul 3, Scaly-breasted Wren-babbler, Small Niltava, Black-headed Oriole, blåstjärt, White-crested Laughing-thrush 40 mm.



En guldtrast smög bla löven och i ett dike i väggkanten satt en livslevande **Large-billed Thrush**. Efter floden där vi letade uvar sågs murkrypare och rovisar bla bandhavsörn och Changleby Hawk Eagle. Djungelhöns och Kalij fasaner sprang i väggkanten. Vid ett av dessa stopp såg "vi" en magnifik

hane White-tailed Ruby-throat. Detta är riktiga hackspettskogar med bla Greater- 3st och Lesser Yellownape 3, Flamebacks, Streak-throated Woodpecker 2 mfl arter. Jim Corbett NP som bildades 1936 är Indiens äldsta nationalpark och 520 kvadrat kilometer. 580 arter fåglar är observerade här. Men parken är mest känd för tigrar, elefanter och andra däggdjur. Den är öppen november till juni. Vi gjorde ett halvhjärtat försök på tiger i skymningen men förklarade för guiden att vi sett tiger så bra att vi skulle fokusera på fåglar. Ute på "savannen" var mycket smått bland träden bla en stor "flock" om 10 Velvet Nuthatch. Lodgen ligger på en höjd ovanför en gigantisk vattendamm och över vattnet flög 1000-tals ladusvalor. Enkel men bra mat ingick och serverades i en gammal matsal. Sängarna var väldigt hårda. Efter genomgång, ca 80 arter idag många nya, smög jag och David en sväng med strålkastaren vilket attraherade några svärmare. Shakaler och småhjortar sprang inne i det, med stora elstängsel, instängda området. Utanför varnade Sambar-hjortarna för tiger hela natten.

### Lördag 22 november

Upp i den kalla gryningen innan frukost. Svart frankolin, Kalij-fasaner och djungelhöns sprang i vägkanterna. En vaktel flög förbi och påfåglar skrek.



I vägkanten smög en "osynlig" **guldtrast**, magiska bilder blev det. Vid lodgen hittade vi en **Jungle Owlett** vilket skapade stor uppståndelse bland alla indiska





”naturfotografer” som var där på ”tigerjakt”. Det var överlägset flest indier **Tawny Fish Owl** som turistade i parkerna. Efter frukost åkte vi tillbaka till uv-floden. Det blev fullträff med 1 Tawny Fish Owl och 3 Brown Fish Owl. Lunchen tillbringade vi i ett fågeltorn där vi såg Lesser Fish-eagle 1, Bandhavsörn 5, Collared falconett (klappavstånd), svart stork, ullhalls-stork mfl arter. Vi åkte runt i parken hela dagen och vid floden var många svalor vilka flera var Pale Martin. I kvällning letade vi tiger men missade knappt däremot fick vi se en flock elefanter och nära dem en Lesser Coucal. Idag såg vi 120 olika arter bla Red-headed Vulture 6, Changleby Hawk Eagle 10, Blå hök **Brown Fish Owl** en hona, Great Thick-knee, Spotted Dove,



Emerald Dove, Pin-tailed Pigeon 10, Crested Tree-swift +20, Gråfiskare 20, Oriental Pied Hornbill 3, Blue-throated Barbet, Great Slaty Woodpecker 3, Streak-throated Woodpecker, isabellatörnskata, Grey-sided Bush-warbler 4, Golden Headed Cisticola 4, Crested Bunting 2, Rock Bunting 2 mm. Efter mat och dryck när grabbarna somnat smög jag ut. Något rasslande kom emot mig i mörkret, ett piggsvin, och jag som glömt filmkameran.

#### **Söndag 23 november**

Tidig morgon med skådning, nu var David magkrasslig så han vilade sig. Över fältet sjöng några Oriental Sky-lark. En större piplärka flög förbi. Hönsen kuckelikuade och påfåglar väsnades. Hjortar varnade och vi letade tiger men hittade Maroon Oriole som bråkade med en Black-headed dito. Jag visslade fram 2 Green Magpie. Efter frukost åkte vi sakta skådande ut ur parken en bit på väg kommer en ”rova” mot oss. En adult Rufous-bellied Hawk Eagle, en sällsynt och vacker art. Vi stannar vid en obsplats där jag sett en misstänkt fågel dagen innan. Plötsligt hoppar en


hona White-tailed Ruby-throat upp på en gren, bakom en buske, sen in igen. **Indisk elefant (vild)**



Petter hinner med denna gång. Fiskuvorna satt kvar, Niltavor, Miniveter, Babblare, Bulbyler, Prinior, Minlor, Scimitar-Babblers, och många mer. Denna plats kommer jag att minnas. Väl utanför parken åkte vi till en känd häckplats för White-rumped Vulture men inga var hemma, nere i floden låg en storskrake hona och 2 Tickels Warbler smög i buskarna. Resan mot bergen började, men först köpte vi dryck på "bolaget" ett gallerförsatt hål i en vägg. Vi kom fram till turistorten Nainital i skymningen. Den gamla "sommarhuvudstaden", där den engelske vicekonungen höll residens då det begav sig, ligger mycket vackert i en dal med en liten sjö. Denna stad blev vårt "hem" i fem nätter. Rummen var kalla drygt 10 grader och natt-temperaturen ute närmade sig nollan varje natt med frost i gryningen.

#### Corbett NP





**24 november**      **Corbett NP**

Upp mycket tidigt i mörker då vi ska leta fasaner idag. I öppen jeep behöver man tjocka filtar och mössa. Ett par, nej två par röda ögon på vägen. Det blev inga bilder men bra karaktärer på Indian Nightjahr en liten rackare. Lite senare var vi framme vid Koklass Pheasant platsen. Tyst inga rörelser, då säger Peter "där går det en" helt nära bilen kom den smygande, häftigt.      **Ovan Nainital**







Då var det bara en art kvar, Cheer Pheasant som lurade oss denna gång. Vi spanade timmavis i de gräsbevuxna sluttningarna, men tji. Stora flockar med Altai Accentor flög omkring som gråsparvar. Gamarna kom mycket nära och Mountain Hawk Eagle svepte efter bergsidorna tillsammans med stäppörnar. En del annat såsom Yellow Browed Tit, svartmes, kungsfågel, White Browed Shrike Babbler och Chestnut Thrush. Vi åkte genom gammel- skogar och stannade vid minsta pip. Vid ett stopp hittade vi 3 Rufous-bellied Woodpecker och Black-headed Jay mfl. Vi åkte ner i en varm dal med en trevlig källa där jag och Peter vaktade när pojkarna var på äventyr. Här såg vi: Lammgam, Himalayan Buzzard, ormörn, grågam, Rusty Cheeked Scimitar Babbler 4, Chestnut-crowned



Laughingthrush 2, Large-billed Thrush, Maroon Oriole 2, **Blue-fronted Redstart**, Russet Sparrow 5, Rufous-breasted Accentor 4, Rosenfink 10, Blue-capped Redstart 5, Spot-winged Rosefinch 1 hane, Yellow-breasted Greenfinch 10, klippsparv 20, White-capped Bunting 2, Himalayn Bluetail 1 hane mfl. Många av dessa raringar kom med på bild. Vår "andra" bil levererade varm mat på em, samma buffe som alla dagar. Hemresan blev kall men en Grey Nightjahr värmde

#### **Tisdag 25 november**

Även denna morgon blev tidig. Vi kom fram till Sattal i gryningen och dalen var vitfrostig. Ganska snart vaknade tättingarna och vi tog oss ner i en tät och snårig dal. Petter hittade ett par Rufus-chinned Laughingthrush och David fann en hane Golden Bush Robin. I denna svåråtkomliga och snåriga lokal rotade vi fram en hel del: Grey Treepie 3, Speckled Piculet, Black-headed Jay 10, Mountain Bulbyl 2 (resans enda), Blue-winged



Mountain Bulbyl

### Rufous-bellied Woodpecker

Minla, Red Billed Leiothrix 5, Small och Rufous-bellied Niltava, Rufous Sibia 10, Blue-fronted Redstart 1 hane, Slaty-blue Flycatcher 5, Rufous-breasted Accentor 4, Petter hittade äntligen en White-tailed Rubythroat hane och Siberian Rubythroat. Vi åkte längre ner i dalen, på en gren satt en hona Chestnut-bellied Rock-thrush (falköga igen) och nere i stora skogen fanns Lammgam, Slaty-headed Parakeet +100, White Browed Shrike-babbler 2, Nepal House Martin 10, Black-faced Warbler 2, Chestnut Headed Tesia 2, Aberant Bushwarbler 5, Grey-sided Bushwarbler 3, White-bellied Erpornis 3, Spotted Forktail, Rufous-bellied Niltava 4, Small Niltava mfl Åter till Nainital och kalla hotellet i skymningen.



### Onsdag 26 november

Vi startade på bergskammen ovanför staden, det gav inte så mycket, så vi gjorde ett nytt försök på Cheer Pheasant. Det gick inte, men Himalayan Swiftlet, alpseglare, klippsvalor, Asian- och Nepal Martins, hökörn och Mountain Hawk Eagles svepte längs kammarna. Efter vägen ner till källan som varit så produktiv fann vi ett par Koklass Pheasant. Ett par Hill Partridge satt nära vägen och lät sig beskådas. Andra stopp gav svarthalsad trast diverse fnittertrast och hackspettar. Källan var inte alls lika bra denna dag och vi åkte sakta "hemåt". Ett stopp vid en liten by där vi hörde pip från träden blev produktivt. Lammgam 2, duvhök, pilgrimsfalk, Himalayan Buzzard 2, Black-throated Accentor, Pink-browed Rosefinch 1 hona, svartmes, kungsfågel, White-tailed Nuthatch mfl Dagens däggdjur var 2 st Goral som klättrade i ett stup. En Yellow-throated Marten, Nepal Grey Langur 30 och Rhesus Makak 40 såg vi i dag också.



### Rufus-chinned Laughingthrush

**Torsdag 27 november**

I dag åkte vi till en "granndal" till Sattal. I övre delens odlingar fanns Grey Treepie 4, Black-headed Jay 5, Fire-breasted Flowerpecker 3, Russet Sparrow 20. I forsen fanns flera Spotted Forktail (men ingen liten än). Den högstammiga skogen hyste R-B Blue Magpie, Striated Laughingthrush 2, Great Barbet 3, Small Niltava, White-tailed Nuthatch mfl. Lite längre ner blev dalen riktigt bred och det blev betydligt varmare. Ett bröllop firades på andra

sidan dalen, den skramliga musiken (pågår i tre dygn) och återkommande fyrverkerier skrämde över alla fåglar till vår sida. I den illaluktande (inga reningsverk här inte) forsen fanns gråärlor, Brown Dipper 2, Crested Kingfisher 4, Murkrypare 1 mm. En Emerald Dove landade helt nära och öppet, så vacker. Vi flyttade till en annan dal för ytterligare försök på den lille. Vi det "sista" stället, solen var på väg ner, stod vi på en liten träbro. Jag pekar nedströms och säger "på den stenen mitt ute i strömmen som vattnet rinner över är ett typiskt ställe". Jag vänder mig om och inom en minut säger Peter "det sitter en på den stenen". Little Forktail, som en smäck. Vi åker tillbaka till Nainital och grabbarna går och shopper, jag skådar i kvällssolen ovanför hotellet och hittar ett par Brown-fronted Woodpecker och ett par Scaly-bellied Woodpecker. Dessutom gransångare "tristis", Buff-bared Warbler, Ashy-throated Warbler mfl



**Fredag 28 november**

### Grey Treepie

Frukost i samma svinkalla matsal med 8 servitörer. Dricksutdelning. Sista dagen i bergen startade i en dal helt nära Nainital. Vi hade ju sett det mesta men något kul blir det alltid. Petter jagade Wren-babblers i sluttningarna vi andra jagade också "småskulkare". Nere i buskarna runt odlingarna blir det napp. Petter luskar fram en Brown-flanked Bush-warbler en riktig "skönhet" på bild. David hittar en Golden Bush Robin och sen en till. En flock om 11 Pink-browed Rosefinch varav en stilig hane födosöker bland låga fröställningar. I denna dal finns också svart frankolin, 2 Chestnut-crowned- och



4 Striated Laughing Thrush, Russet Sparrow 10, Green-tailed Sunbird och 2 **Spotted Forktail (ovan)**.



**Little Forktail** En Besra jagade småfågel och ett par Maroon Oriole smög i buskarna, alltid lika svårседda. Bland småttingarna kan nämnas Rufous-breasted Accentor 2, Yellow-browed Tit 2, 3 Ashy-throated-, 5 Lemon-rumped- och 5 Buff-barred Warbler. En sista titt på staden Nainital och så bar det av mot Sattal igen. I dag satsade vi på den högstammiga skogen där vi hört raphöns tidigare. Petter lockade fram en Rufous-throated Partidge och ytterligare tre svarade. Jag hittade en Grey-winged Blackbird som smet men återfann "den" och tio till som de andra också hann fram till. I

samma trastflock fanns ett par Chestnut Thrush och några svarthalsade trastar. Peter hittade resans enda Greater Rackettailed Drongo som han fick på bild på och blev ensam om.



**Striated Laughingthrush** Nu när vi lärt oss Golden Bush Robin så hittade vi tre till och till slut fick vi in resans sista spett, Greater Flameback, ett par.



Jag hittade en häckning av Blue-throated Barbet och resans andra Large Cuckoo-shrike. Här fanns som vanligt Longtailed Minivet men även den betydligt ovanligare Small Minivet ett par. På sena eftermiddagen lämnade vi Sattal för resa till tågstationen. Efter vägen tog vi en bit mat "a la carte". Det blev pommes med ägggröra och ketchup, fantastiskt gott. På stationen som var ren och fin tog vi farväl av våra två chaffisar och guiden som vi haft denna härliga vecka. Den sista whiskeyn smög vi i oss på perrongen (som var ren och välstädd). Dags för nattåg till New Delhi.



#### Lördag 29 november

Framme i ND kl 5 efter en natt i översta sovbitsen tillsammans med min rygsäck. Ett dubbeldisellok – ekipage som drog över 20 vagnar i mer än 100 km/timme. Ett mirakel att jag tog mig ur "råttfällan" helskinnad. Efter att ha passerat 1000-tals perrong-innevånare kom vi ut i "larmet". En 20-miljonersstad som börjar vakna. Vi åkte till Yamuna River Okhla NP i New Delhi med vår lokala Guide. Efter lite väntande vid grindarna fick vi komma in. Vi spred ut oss på jakt efter målarterna. När jag hittade på Peter hade han en kul uggle sittande på backen. Jag hämtade de andra 2 km bort och vi kunde konstatera att det var en mörk Tornuggla. Vi åkte bil ända ut i träsket, där det fanns bra promenadvägar till observationstorn och små dungar. Det var gått om småfåglar och vi fick in det mesta samt några bonusarter. Massor av våtmarksfåglar såsom hägrar, änder och vadare. Rödhuvad dykand, skärfläcka 3, Pheasant-tailed Jacana 2, sumpvipa 2, GreatThick-knee, Spotted Owlett 2, Asian Koel 2, Striatad Babbler +50, White-crowned Penduline-tit 3, Yellow-bellied Prinia +50, Striated Grasbird +10, Papyrussångare 1, Booted Warbler 1, Tickels Thrush 3, Streaked Weaver+20, Baja Weaver +10, Scaly-breasted Munia +20, Black-headed Munia 2, Gulärla "beema" +10, Citronärla 2, Paddyfield pipit +5, större piplärka 1 mm. En spännande lokal omgiven av storstad och motorvägar. Träsk och öppet vatten dominerar men ett stort torrmarksområde i anslutning gör att variationen blir stor. Vi missade en målart White-tailed Stone-chat men det blev ca 100 arter på 5 timmar. Vår Guide manade på oss att åka innan rusningen kom igång. Rusningen hade kommit i gång och det tog flera timmar att åka några få mil till vårt hotell. Väl framme började det skymma vi tog farväl av chaffis som vi redan åkt med till Chambal River 10 dar tidigare. Avslutning med mat och dryck, sista artgenomgången blev inte av. Men då vi räknat arter hela tiden och var uppdaterade så konstaterade vi att resultatet 430 arter fåglar och 26 däggdjur blev mycket bra. Jag sov/vilade ett par timmar innan taxin tog mig till flyget. Grabbarna Olsson åkte lite senare och David blev kvar för att ta hand om

Rockjumpers India Trip. En fantastisk resa där vi fick se långt mer än vad jag trott. Det magiska mötet med Noor tigerhonan har för alltid etsats fast på våra näthinnor.

#### Artlista

**Black Francolin** *Francolinus francolinus* A handful seen, Bharatpur, Corbett and Nainital.

**Grey Francolin** *Francolinus pondicerianus* Several at various lowland sites, some nice views.

**Hill Partridge** *Arborophila torqueola* A handsome pair seen close and several heard distantly at Nainital.

**Painted Spurfowl** *Galloperdix lunulata* 7 seen at Ranthambore, stunning when seen well.

**Koklass Pheasant** *Pucrasia macrolopha* A total of 3 at Naini Tal, one male very close.



**Red Junglefowl** *Gallus gallus* Common at Corbett +10 seen well and several heard.



**Kalij Pheasant** *Lophura leucomelanos* A handful at Corbett and others near Nainital, in total +20.

**Indian Peafowl** *Pavo cristatus* Widespread and common in the lowlands.  
**Common Quail** *Coturnix coturnix* Two birds in Corbett NP  
**Lesser Whistling Duck** *Dendrocygna javanica* +100 at Chambal river, smaller numbers elsewhere.  
**Greylag Goose** *Anser anser* Several at Bharatpur.  
**Bar-headed Goose** *Anser indicus* +20 at Bharatpur and 20 at New Delhi NP.  
**Knob-billed Duck** *Sarkidiornis melanotos* +30 at Bharatpur.  
**Ruddy Shelduck** *Tadorna ferruginea* Regularly seen on wetlands throughout.  
**Gadwall** *Anas strepera* Present at several wetlands.  
**Eurasian Wigeon** *Anas penelope* 10 at Bharatpur.  
**Mallard** *Anas platyrhynchos* Two at Bharatpur  
**Indian Spot-billed Duck** *Anas poecilorhyncha* + 500 at Bharatpur and other wetlands.  
**Northern Shoveler** *Anas clypeata* Common at Bharatpur.  
**Northern Pintail** *Anas acuta* Numerous at Bharatpur +500.  
**Garganey** *Anas querquedula* 10 at Bharatpur.  
**Eurasian Teal** *Anas crecca* Present at several wetlands.  
**Common Pochard** *Aythya ferina* About 20 at Bharatpur.  
**Red-crested Pochard** *Aythya rufina* One female at New Delhi NP.  
**Ferruginous Duck** *Aythya nyroca* +40 at Bharatpur.  
**Tufted Duck** *Aythya fuligula* Two at Bharatpur and +50 at New Delhi NP.  
**Common Merganser** *Mergus merganser* One female near Corbett.  
**Little Grebe** *Tachybaptus ruficollis* Present at many wetlands though in small numbers.  
**Greater Flamingo** *Phoenicopterus roseus* Two at the dam near Ranthambore.



**Painted Stork** *Mycteria leucocephala* +30 at Bharatpur, a few elsewhere.  
**Asian Openbill** *Anastomus oscitans* +40 at Bharatpur, a few elsewhere.  
**Black Stork** *Ciconia nigra* +15 Corbett NP.  
**Woolly-necked Stork** *Ciconia episcopus* Singles in wetlands and 6 at Bharatpur .





**Black-necked Stork** *Ephippiorhynchus asiaticus* 8 at Bharatpur and one from the train to Ranthambore.  
**Black-headed Ibis** *Threskiornis melanocephalus* Up to 100 at Bharatpur, a few at Ranthambore.  
**Red-naped Ibis** *Pseudibis papillosa* Noted at all lowland wetlands.



**Glossy Ibis** *Plegadis falcinellus* +50 at Bharatpur.  
**Eurasian Spoonbill** *Platalea leucorodia* +20 at Bharatpur and other wetlands.  
**Black Bittern** *Dupetor flavicollis* Three at Bharatpur.  
**Black-crowned Night Heron** *Nycticorax nycticorax* Three at Bharatpur.  
**Striated Heron** *Butorides striata* Just one at Bharatpur and one at Corbett NP.  
**Indian Pond Heron** *Ardeola grayii* Fairly common, especially in the lowlands.  
**Eastern Cattle Egret** *Bubulcus coromandus* Common in the lowlands.  
**Grey Heron** *Ardea cinerea* Small numbers at several wetlands.  
**Purple Heron** *Ardea purpurea* Present at several wetlands, +20 at Bharatpur.  
**Great Egret** *Ardea modesta* Fairly common and widespread.  
**Intermediate Egret** *Egretta intermedia* A few at Ranthambore and at Bharatpur.  
**Little Egret** *Egretta garzetta* Widespread in wetter areas.  
**Great White Pelican** *Pelecanus onocrotalus* Ten at Ranthambore dam.  
**Little Cormorant** *Microcarbo niger* Widespread, often common.  
**Indian Cormorant** *Phalacrocorax fuscicollis* About 100 at Bharatpur, widespread.  
**Great Cormorant** *Phalacrocorax carbo* Widespread encounters.  
**Oriental Darter** *Anhinga melanogaster* +15 at Bharatpur and a few at Corbett.  
**Osprey** *Pandion haliaetus* 1-3 at several sites.  
**Black-winged Kite** *Elanus caeruleus* Widespread encounters.  
**Lammergeier** *Gypaetus barbatus* Three above Nainital (stunning birds) and one near Sattal.  
**Egyptian Vulture** *Neophron percnopterus* Several near and in Agra, and + 30 at the road to Delhi few elsewhere.  
**Crested Honey Buzzard** *Pernis ptilorhynchus* Noted at Bharatpur and Ranthambore.  
**Indian Vulture** *Gyps indicus* Two on the cliffs at Ranthambore NP gate and three in the air.





**Red-headed Vulture** *Sarcogyps calvus* At least six at Corbett, three at Bharatpur.  
**Himalayan Vulture** *Gyps himalayensis* Numerous in the Naini Tal area and in hills above Corbett NP  
**Cinereous Vulture** *Aegypius monachus* Four in the hills above Corbett NP and singles at Nainital.  
**Crested Serpent Eagle** *Spilornis cheela* Noted on five dates at widespread sites.  
**Short-toed Snake Eagle** *Circaetus gallicus* Singles at Bharatpur and Corbett.  
**Changeable Hawk-Eagle** *Nisaetus cirrhatus* +10 at Corbett.




**Mountain Hawk-Eagle** *Nisaetus nipalensis* +10 at Nainital and Sattal.  
**Rufous-bellied Hawk-Eagle** *Lophotriorchis kienerii* One adult showed well in flight at Corbett last day.  
**Indian Spotted Eagle** *Clanga hastata* One or two at Bharatpur.  
**Greater Spotted Eagle** *Clanga clanga* Up to 10 at Bharatpur.  
**Steppe Eagle** *Aquila nipalensis* Several near Nainital, and in hills above Corbett NP.  
**Eastern Imperial Eagle** *Aquila heliaca* Three birds at Bharatpur.  
**Booted Eagle** *Hieraetus pennatus* One at Ranthambore. And two at Bharatpur.  
**Bonelli's Eagle** *Aquila fasciata* One immature at Bharatpur, five adult at Nainital and Sattal.  
**Shikra** *Accipiter badius* Widespread encounters on six dates.  
**Besra** *Accipiter virgatus* A male outside Corbett NP and one inside the NP. One at Naini Tal.  
**Eurasian Sparrowhawk** *Accipiter nisus* Singles in ten dates different locations.  
**Northern Goshawk** *Accipiter gentilis* One male above Nainital

**Western Marsh Harrier** *Circus aeruginosus* Several at Rantambore and Bharatpur.  
**Hen Harrier** *Circus cyaneus* One female above Naini Tal and one at Corbett.  
**Pallid Harrier** *Circus macrourus* Two immatures at Bharatpur.  
**Brahminy Kite** *Haliastur indus* One immature bird in Bharatpur  
**Black Kite** *Milvus migrans* Numerous on the Gangetic Plain, including in Delhi and Agra.  
**Black-eared Kite** *Milvus lineatus* At least a couple during the trip.  
**Pallas's Fish Eagle** *Haliaeetus leucoryphus* Noted four dates in and around Corbett. Eight one day.



**Lesser Fish Eagle** *Haliaeetus humilis* Nine sightings at Corbett, at least 6 different birds.  
**Himalayan Buzzard** *Buteo burmanicus* Five above Nainital and Sattal.  
**Long-legged Buzzard** *Buteo rufinus* One near Agra at the roadside.



**Collared Falconet** *Microhierax caerulescens* Up to five in the Corbett area, some very close views.  
**Common Kestrel** *Falco tinnunculus* Occasional encounters throughout.  
**Eurasian Hobby** *Falco subbuteo* Four at Ranthambore  
**Peregrine Falcon** *Falco peregrinus* Noted at Corbett, Nainital and Ranthambore.  
**Brown Crake** *Amauornis akool* One performed well at Chambal river.  
**White-breasted Waterhen** *Amauornis phoenicurus* Several at various lowland wetlands.

**Grey-breasted Swamphen** *Porphyrio poliocephalus* Common +50 at Bharatpur and New Delhi NP.  
**Common Moorhen** *Gallinula chloropus* Present at most wetlands, sometimes common.  
**Eurasian Coot** *Fulica atra* Present at New Delhi NP and Bharatpur.  
**Sarus Crane** *Grus antigone* Four dates, four birds at Bharatpur and 11 in total. Seen from train and roads.  
**Yellow-legged Buttonquail** *Turnix tanki* 1-3 birds near the Lodge in Ranthambhore seen two days.  
**Barred Buttonquail** *Turnix suscitator* 4 birds south of Ranthambhore  
**Indian Stone-Curlew** *Burhinus indicus* +15 near the dam at Ranthambhore.  
**Great Stone-Curlew** *Esacus recurvirostris* Ten at the Banas River north of Ranthambhore and some singles.  
**Black-winged Stilt** *Himantopus himantopus* Present on many wetlands.  
**Pied Avocet** *Recurvirostra avosetta* Two at New Delhi NP.  
**River Lapwing** *Vanellus duvaucelii* Many near Ramnagar, others at Chambal and Corbett NP.  
**Yellow-wattled Lapwing** *Vanellus malabaricus* Three near Ranthambhore.  
**Red-wattled Lapwing** *Vanellus indicus* Widespread and common.



**Ibisbill** *Ibidorhyncha struthersii* Great scope views of two near Ramnagar, outside Corbett NP, always a highlight!  
**White-tailed Lapwing** *Vanellus leucurus* Up to 20 at Bharatpur and some at Delhi NP.  
**Little Ringed Plover** *Charadrius dubius* 2-3 at Rantambore.  
**Kentish Plover** *Charadrius alexandrinus* 10 at Chambal river.  
**Greater Painted-Snipe** *Rostratula benghalensis* Four at Bharatpur and one in the city Canal.  
**Pheasant-tailed Jacana** *Hydrophasianus chirurgus* 15 at Bharatpur and two at Delhi NP.  
**Bronze-winged Jacana** *Metopidius indicus* Several at lowland wetlands.  
**Common Snipe** *Gallinago gallinago* 20 at Bharatpur and a couple at Ranthambhore.  
**Black-tailed Godwit** *Limosa limosa* 10 at Rantambhore.  
**Eurasian Curlew** *Numenius arquata* Two at Rantambhore  
**Spotted Redshank** *Tringa erythropus* One at Rantambhore.  
**Common Redshank** *Tringa totanus* Small numbers in the lowlands.  
**Marsh Sandpiper** *Tringa stagnatilis* Ten at Rantambhore.  
**Common Greenshank** *Tringa nebularia* Regularly seen at various wetlands.  
**Green Sandpiper** *Tringa ochropus* Ones and twos at several sites.  
**Wood Sandpiper** *Tringa glareola* Common at Bharatpur, a few elsewhere.  
**Common Sandpiper** *Actitis hypoleucos* Occasional encounters throughout.  
**Dunlin** *Calidris alpina* +10 at Rantambhore dam.  
**Little Stint** *Calidris minuta* Ten at Rantambore dam.

**Temminck's Stint** *Calidris temminckii* Small numbers in wetlands throughout.  
**Ruff** *Philomachus pugnax* 10 at Rantambhore dam.  
**Indian Courser** *Cursorius coromandelicus* 11 near Bharatpur, lovely scope views.  
**Oriental Pratincole** *Glareola maldivarum* One at Banas River.  
**Small Pratincole** *Glareola lactea* 40 at Ranthambore dam.  
**Indian Skimmer** *Rynchops albicollis* Two at Ranthambhore dam and two at Chambal River.  
**Black-headed Gull** *Chroicocephalus ridibundus* Two at Chambal River.  
**Pallas's Gull** *Ichthyaetus ichthyaetus* Three at Chambal River and one at Ranthambore dam.  
**Gull-billed Tern** *Gelochelidon nilotica* Two at Ranthambhore dam.  
**River Tern** *Sterna aurantia* 15 at Chambal River and 40 at Ranthambore dam.  
**Black-bellied Tern** *Sterna acuticauda* 15 (at least) at Chambal River and five at Ranthambore dam.  
**Whiskered Tern** *Chlidonias hybrida* Three at Ranthambore dam.  
**Chestnut-bellied Sandgrouse** *Pterocles exustus* 11 at Chambal River.  
**Painted Sandgrouse** *Pterocles indicus* Splendid views of up to 10 near Ranthambore.  
**Rock Dove** *Columba livia* Common and widespread, the large majority were wild *C. l. intermedia*.  
**Oriental Turtle Dove** *Streptopelia orientalis* Four near Nainital, one at Corbett NP.  
**Eurasian Collared Dove** *Streptopelia decaocto* Widespread in the lowlands.  
**Red Turtle Dove** *Streptopelia tranquebarica* Common in lowlands.  
**Spotted Dove** *Spilopelia chinensis* Ten at first day in Ranthambore thereafter singles. See note.  
**Laughing Dove** *Spilopelia senegalensis* Locally common in the lowlands.  
**Emerald Dove** *Chalcophaps indica* Two at Corbett NP and two at Sattal, a lovely bird.  
**Yellow-footed Green Pigeon** *Treron phoenicopterus* Common in lowlands in total >100 birds, see note  
**Pin-tailed Green Pigeon** *Treron apicauda* Two days at Corbett NP in total 11 birds.



**Alexandrine Parakeet** *Psittacula eupatria* Common at Ranthambore.  
**Rose-ringed Parakeet** *Psittacula krameri* Common and widespread.  
**Slaty-headed Parakeet** *Psittacula himalayana* Numerous in the foothills.  
**Plum-headed Parakeet** *Psittacula cyanocephala* Many at Ranthambore and other places.  
**Greater Coucal** *Centropus sinensis* Several in the lowlands.  
**Lesser Coucal** *Centropus bengalensis* One in the grasslands at Corbett.  
**Sirkeer Malkoha** *Taccocua leschenaultii* Three at Ranthambore.




**Asian Koel** *Eudynamys scolopaceus* Two at Delhi NP.  
**Common Hawk-Cuckoo** *Hierococcyx varius* Two at Ranthambore. Two at Bharatpur and one at Nainital  
**Jacobin Cuckoo** *Clamator jacobinus* One at Bharatpur.  
**Indian Scops Owl** *Otus bakkamoena* A pair at Ranthambore.  
**Dusky Eagle-Owl** *Bubo coromandus* One at Ranthambore and one at Bharatpur.  
**Brown Fish Owl** *Ketupa zeylonensis* 3+2 at Corbett.  
**Tawny Fish Owl** *Ketupa flavipes* Two at Corbett, superb views!  
**Asian Barred Owlet** *Glaucidium cuculoides* Three at Corbett and one at Sattal.

**Jungle Owlet** *Glaucidium radiatum* A handful seen well in the foothills.

**Spotted Owlet** *Athene brama* A total of five at various sites.

**Brown Hawk-Owl** *Ninox scutulata* Three at Chambal Lodge.

**Barn Owl** *Tyto alba* One roosting at New Delhi NP



**Grey Nightjar** *Caprimulgus jotaka* One in dusk near Naini Tal.

**Large-tailed Nightjar** *Caprimulgus macrurus* One in dusk at Rhanthambore.

**Indian Nightjar** *Caprimulgus asiaticus* Two at dawn near Naini Tal.

**Crested Treeswift** *Hemiprocne coronata* Common in Corbett area, +60 noted in five days.

**Himalayan Swiftlet** *Aerodramus brevirostris* A handful at Corbett and near Naini Tal.

**White-rumped Spinetail** *Zoonavena sylvatica* Several at Corbett.

**Alpine Swift** *Tachymarptis melba* Up to 5 in Naini Tal area.

**Little Swift** *Apus affinis* +100 at Baratphur and Agra.

**Indian Roller** *Coracias benghalensis* 5-10 each day in the lowlands.

**White-throated Kingfisher** *Halcyon smyrnensis* Common and widespread. See note

**Common Kingfisher** *Alcedo atthis* Noted at several wetlands.

**Crested Kingfisher** *Megaceryle lugubris* Several along rivers in the foothills.

**Pied Kingfisher** *Ceryle rudis* Widespread encounters.

**Blue-bearded Bee-eater** *Nyctyornis athertonierops* Two birds first evening at Corbett.

**Green Bee-eater** *Merops orientalis* Common at lowlands 5-20 each day. See note.

**Eurasian Hoopoe** *Upupa epops* Several in the lowlands.

**Indian Grey Hornbill** *Ocyrceros birostris* 10 at Chambal lodge, singles seen 5 days.

**Great Hornbill** *Buceros bicornis* 2+2 near and at Corbett NP.



**Oriental Pied Hornbill** *Anthracoceros albirostris* Nine in total near and inside Corbett NP.

**Great Barbet** *Megalaima virens* Several in the Naini Tal area, some great views and hillsides outside Corbett.

**Brown-headed Barbet** *Megalaima zeylanica* Good views of four at Chambal, singles elsewhere in lowlands.

**Lineated Barbet** *Megalaima lineata* Common in the Corbett area a total of 40.

**Blue-throated Barbet** *Megalaima asiatica* A couple at Corbett and a nesting pair at Sattal..

**Coppersmith Barbet** *Megalaima haemacephala* Several in the lowlands.

**Eurasian Wryneck** *Jynx torquilla* Two at Bharathpur.

**Speckled Piculet** *Picumnus innominatus* Seen twice at Corbett and one in Sattal.

**Rufous-bellied Woodpecker** *Dendrocopos hyperythrus* Four seen above Naini Tal and several heard.

**Grey-capped Pygmy Woodpecker** *Dendrocopos canicapillus* 5-15 seen each day in Corbett and Naini Tal area.

**Fulvous-breasted Woodpecker** *Dendrocopos macei* Singles in four days in Corbett area.

**Brown-fronted Woodpecker** *Dendrocopos auriceps* Six in the foothills and Naini Tal.

**Yellow-crowned Woodpecker** *Dendrocopos mahrattensis* A pair first evening at Ranthambore.

**Himalayan Woodpecker** *Dendrocopos himalayensis* A couple above Naini Tal and 2-3 in Sattal.

**Greater Yellownappe** *Chrysophlegma flavinucha* Six in Corbett area.

**Lesser Yellownappe** *Picus chlorolophus* Five in Corbett area.




**Scaly-bellied Woodpecker** *Picus scuematus* One pair in Naini Tal and two singles.

**Streak-throated Woodpecker** *Picus xanthopygaeus* Four singles at Corbett.

**Grey-headed Woodpecker** *Picus canus* 15 in the foothills, Corbett and Sattal. See note.

**Himalayan Flameback** *Dinopium shorii* Seven in Corbett area and Sattal.



**Black-rumped Flameback** *Dinopium benghalense*

Several, mainly in the lowlands.

**Greater Flameback** *Chrysocolaptes guttacrastatus* A pair in Sattal.

**White-naped Woodpecker** *Chrysocolaptes festivus* Two birds at Ranthambore NP.

**Rufous Woodpecker** *Micropternus brachyurus* One outside Corbett NP.

**Great Slaty Woodpecker** *Mulleripicus pulverulentus* Five seen and a couple heard in Corbett.

**Bar-winged Flycatcher-shrike** *Hemipus picatus* Very common in big flocks +500 one day at Corbett.

**Common Woodshrike** *Tephrodornis pondicerianus* 14 at Bharatphur and Ranthambhore.

**Common lora** *Aegithina tiphia* 1-3 birds in six days at Corbett and Ranthambhore.

**Large Cuckooshrike** *Coracina macei* One at Corbett and one last day at Sattal.

**Small Minivet** *Pericrocotus cinnamomeus* Ten at Ranthambore and Chambal Lodge.

**Long-tailed Minivet** *Pericrocotus ethologus* +60 in 6 days in the foothills.

**Scarlet Minivet** *Pericrocotus speciosus* +10 in Corbett.

**Xinjiang Shrike** *Lanius [isabellinus] arenarius* Ten around Ranthambore and one at Bharatpur.

**Bay-backed Shrike** *Lanius vittatus* Six at Ranthambore.

**Grey-backed Shrike** *Lanius tephronotus* One above Corbett.

**Long-tailed Shrike** *Lanius schach* Widespread and fairly common.

**Southern Grey Shrike** *Lanius meridionalis* Several in semi-desert areas around Ranthambore.

**Himalayan Shrike-Babbler** *Pteruthius ripleyi* Two above Naini Tal and two at Sattal.

**Black-hooded Oriole** *Oriolus xanthornus* +10 seen at Corbett, and several heard.



**Maroon Oriole** *Oriolus trailii* A couple at Naini Tal, Sattal and nice views at Corbett.

**Black Drongo** *Dicrurus macrocercus* Several in the lowlands.

**Ashy Drongo** *Dicrurus leucophaeus* +5 at Corbett.

**White-bellied Drongo** *Dicrurus caerulescens* One at Corbett, several at Ranthambore.

**Bronzed Drongo** *Dicrurus aeneus* +25 in Corbett.

**Hair-crested Drongo** *Dicrurus hottentottus* Five at Corbett.

**Greater Racket-tailed Drongo** *Dicrurus paradiseus* One bird at Sattal.

**White-throated Fantail** *Rhipidura albicollis* Several in the foothills.

**White-browed Fantail** *Rhipidura aureola* One at Bharatpur, five at

Chambal and several at Ranthambore.

**Eurasian Jay** *Garrulus glandarius* Several above Naini tal.

**Black-headed Jay** *Garrulus lanceolatus* Several near Naini tal and Sattal.

**Red-billed Blue Magpie** *Urocissa erythroryncha* Several in the foothills.



**Common Green Magpie** *Cissa chinensis* Five seen at Corbett, and several heard.

**Rufous Treepie** *Dendrocitta vagabunda* Common in the lowlands.

**Grey Treepie** *Dendrocitta formosae* Several at Naini tal and Sattal.

**House Crow** *Corvus splendens* Widespread and common in the lowlands.

**Large-billed Crow** *Corvus macrorhynchos* Several in and around Naini Tal.

**Indian Jungle Crow** *Corvus culminatus* Several at Corbett and in the lowlands.

**Yellow-bellied Fantail** *Chelidorhynch hypoxantha* Several in the foothills.

**Grey-headed Canary-Flycatcher** *Culicicapa ceylonensis* Occasional encounters throughout.

**Coal Tit** *Periparus ater* Common above Naini Tal.

**Cinereous Tit (Grey T)** *Parus*

*cinereus* Widespread in small numbers.

**Green-backed Tit** *Parus monticolus* Several in the higher foothills.

**Himalayan Black-lored Tit** *Parus xanthogenys* Several in the foothills.

**Yellow-browed Tit** *Sylviparus modestus* A couple above Naini Tal and at Sattal.

**White-crowned Penduline Tit** *Remiz coronatus* Three at Delhi NP.

**Fire-capped Tit** *Cephalophyrus flammiceps* Three above Corbett.

**Rufous-tailed Lark** *Ammomanes phoenicura* Six at Ranthambore.

**Sand Lark** *Calandrella raytal* Three at Chambal River.

**Greater Short-toed Lark** *Calandrella brachydactyla* Flocks of up to 200 around Ranthambore in arid sites.

**Crested Lark** *Galerida cristata* Noted at two semi-desert sites near Ranthambore.

**Oriental Skylark** *Alauda gulgula* +10 at Ranthambore and Corbett NP.





**Indian Bush Lark** *Mirafra erythroptera* +30 in three days at Rhantambhore. **Picture to the left**  
**Ashy-crowned Sparrow-Lark** *Eremopterix griseus* Several in more arid areas +50 north of Ranthambore.  
**Black-crested Bulbul** *Pycnonotus flaviventris* A couple at Corbett.  
**Red-whiskered Bulbul** *Pycnonotus jocosus* Several at Corbett.  
**Himalayan Bulbul** *Pycnonotus leucogenys* Common in the foothills.  
**White-eared Bulbul** *Pycnonotus leucotis* Common at Bharatpur.  
**Red-vented Bulbul** *Pycnonotus cafer* Common and widespread away from the highest elevations.  
**Mountain Bulbul** *Hlxos*

*mccllellandii* Two at Sattal.

**Ashy Bulbul** *Hemixos flavala* Several at Corbett.

**Black Bulbul** *Hypsipetes leucocephalus* Common in some foothills areas.

**Grey-throated Martin** *Riparia chinensis* Widespread, often common.

**Sand Martin** *Riparia riparia* A few at Chambal River.

**Pale Martin** *Riparia diluta* A handful at Corbett.

**Barn Swallow** *Hirundo rustica* Regularly seen in small numbers.

**Wire-tailed Swallow** *Hirundo smithii* +50 in the lowlands as New Delhi.

**Eurasian Crag Martin** *Ptyonoprogne rupestris* A handfull in Naini Tal and above Corbett.

**Dusky Crag Martin** *Ptyonoprogne concolor* +100 at Ranthambhore.

**Asian House Martin** *Delichon dasypus* A group off five above Corbett and a couple above Naini tal.

**Nepal House Martin** *Delichon nipalense* Noted a several times in the Naini tal area in god flocks.

**Red-rumped Swallow** *Cecropis daurica* Very widespread, sometimes common, especially in the foothills.

**Scaly-breasted Wren-babbler** *Pnoepyga albiventer* Great views in Corbett and some below Naini tal and Sattal.



**Picture To the left of**  
**Brown-flanked Bush Warbler** *Horornis fortipes* One near Naini tal.

**Aberrant Bush Warbler** *Horornis flavolivaceus* +20 Corbett and Naini tal.

**Grey-sided Bush Warbler** *Cettia brunnifrons* +10 Corbett and Naini Tal.

**Grey-bellied Tesia** *Tesia cyaniventer* Four at Corbett and Sattal.

**Chestnut-headed Tesia** *Cettia castaneocoronata* Good views, in total eight in Corbett and Sattal.

**Black-throated Bushtit** *Aegithalos concinnus* Plenty in the foothills.

**Siberian Chiffchaff** *Phylloscopus tristis* A few in the foothills and lowlands.

**Tickell's Leaf Warbler** *Phylloscopus affinis* Five at Corbett.

**Buff-barred Warbler** *Phylloscopus pulcher* +20 in the foothills, above Corbett, Naini Tal and Sattal.

**Ashy-throated Warbler** *Phylloscopus*

*maculipennis* +10 in the foothills, Naini Tal and Sattal.

**Lemon-rumped Warbler** *Phylloscopus chloronotus* Numerous in the foothills.

**Brooks's Leaf Warbler** *Phylloscopus subviridis* Two at Bharatpur.

**Hume's Leaf Warbler** *Phylloscopus humei* Common at lower elevations.

**Greenish Warbler** *Phylloscopus trochiloides* Several at Bharatpur, a few elsewhere in lowlands.

**Western Crowned Warbler** *Phylloscopus occipitalis* One at Ranthambore.

**Blyth's Leaf Warbler** *Phylloscopus reguloides* One at Corbett.

**Grey-hooded Warbler** *Phylloscopus xanthoschistos* Common in the foothills, the most common little green..

**Black-faced Warbler** *Abroscopus schisticeps* Two at Sattal.

**Whistler's Warbler** *Seicercus whistleri* Several in the lower foothills Corbett area..  
**Chestnut-crowned Warbler** *Seicercus castaniceps* Four singles in Corbett.  
**Clamorous Reed Warbler** *Acrocephalus stentoreus* Singles in Barathpur and Delhi NP.  
**Moustached Warbler** *Acrocephalus melanopogon* Three at Banas River.  
**Blyth's Reed Warbler** *Acrocephalus dumetorum* Several at Bharatpur +50.  
**Booted Warbler** *Alduna caligata* One near Rantambhore and one at Delhi NP.  
**Striated Grassbird** *Megalurus palustris* +10 at Delhi NP.  
**Zitting Cisticola** *Cisticola juncidis* Noted at Bharatpur.  
**Golden-headed Cisticola** *Cisticola exilis* A handful non-breeding at Corbett.  
**Striated Prinia** *Prinia crinigera* +10 at Nainital and Sattal.  
**Grey-breasted Prinia** *Prinia hodgsonii* Common throughout.  
**Graceful Prinia** *Prinia gracilis* +5 at Delhi NP.  
**Jungle Prinia** *Prinia sylvatica* Scattered encounters in dry grass and bushes near Ranthambore.  
**Yellow-bellied Prinia** *Prinia flaviventris* +50 at Delhi NP.  
**Ashy Prinia** *Prinia socialis* Noted at several sites after the first at Ranthambore.  
**Plain Prinia** *Prinia inornata* Common and widespread.  
**Common Tailorbird** *Orthotomus sutorius* Widespread, fairly common.



**Picture to the left of**  
**Rusty-cheeked Scimitar Babbler** *Pomatorhinus erythrogeus* Good views in the foothills and Corbett.  
**Black-chinned Babbler** *Stachyridopsis pyrrhops* Common in the foothills, Nainital and Sattal.  
**Puff-throated Babbler** *Pellorneum ruficeps* Several heard at Corbett, and some skulkers seen..  
**Common Babbler** *Turdoides caudata* Several in more arid areas.  
**Striated Babbler** *Turdoides caudata* Common, +100 at Delhi NP.  
**Large Grey Babbler** *Turdoides malcolmi* Common in the lowlands around Rantambhore.  
**Jungle Babbler** *Turdoides striata* Very common except at higher elevations.  
**White-crested Laughingthrush** *Garrulax leucolophus* Good views at Corbett +70.  
**Rufous-chinned Laughingthrush** *Garrulax rufogularis* Four at Sattal a



nice looking bird.  
**White-throated Laughingthrush** *Garrulax albogularis* Some big flocks in the foothills and in Nainital.  
**Striated Laughingthrush** *Grammatoptila striatus* A couple near Sattal and Naini Tal.  
**Streaked Laughingthrush** *Trochalopteron lineatum* Fairly common in the higher foothills.  
**Chestnut-crowned Laughingthrush** *Trochalopteron erythrocephalum* Seen near Naini Tal and Sattal (+10).  
**Red-billed Leiothrix** *Leiothrix lutea* +20 at Sat Tal and Corbett.  
**Rufous Sibia** *Heterophasia capistrata* Several at higher elevations.  
**Lesser Whitethroat** *Sylvia curruca* Occasionally seen after the first at Ranthambore.  
**Yellow-eyed Babbler** *Chrysomma sinense* Noted each day in lowlands, +20 at Chambal Lodge.  
**White-bellied Erpornis** *Erpornis zantholeuca* Five at Sattal.  
**Oriental White-eye** *Zosterops palpebrosus* Widespread, sometimes numerous.  
**Goldcrest** *Regulus regulus* Several above Nainital.  
**Chestnut-bellied Nuthatch** *Sitta cinnamoventris* Several in the lower foothills. **Picture to the left**

**White-tailed Nuthatch** *Sitta himalayensis* +10 at higher elevations.

**Velvet-fronted Nuthatch** *Sitta frontalis* Several in the foothills +20 at Corbett..



**Wallcreeper** *Tichodroma muraria* Five near Ramnagar, Corbett NP and in Sattal, some great views.

**Bar-tailed Treecreeper** *Certhia himalayana* Fairly common in the foothills.

**Jungle Myna** *Acridotheres fuscus* Common (+40) at Corbett NP

**Bank Myna** *Acridotheres ginginianus* Common in the lowlands.

**Common Myna** *Acridotheres tristis* Common and widespread except at the highest elevations.

**Pied Myna (Asian P Starling)** *Gracupica contra* Locally common in the lowlands.

**Brahminy Starling** *Sturnia pagodarum* Small numbers at several lowland sites.

**Rosy Starling** *Pastor roseus* Over 100 at two sites near Ranthambore.

**Common Starling** *Sturnus vulgaris* +10 at Banas River and Bharatpur.

**Orange-headed Thrush** *Geokichla citrina* Two at Chambal Lodge and one at Hotel garden in Bharatpur.

**Long-billed Thrush** *Zoothera monticola* One found dead near Corbett. One at Corbett and two near Naini tal.

**Scaly Thrush** *Zoothera dauma* Two lovely ones at Corbett.

**Tickell's Thrush** *Turdus unicolor* 3-4 at Delhi NP.

**Grey-winged Blackbird** *Turdus boulboul* One above Nainital and 11 at Sattal.

**Chestnut Thrush** *Turdus rubrocanus* One above Naini Tal and two at Sattal with other Turdus.

**Black-throated Thrush** *Turdus atrogularis* Three above Naini Tal and two at Sattal.

**Mistle Thrush** *Turdus viscivorus* Two above Nainital.

**Bluethroat** *Luscinia svecica* Several at Bharatpur, a few elsewhere.

**Siberian Rubythroat** *Luscinia calliope* A fine male at Sattal.

**White-tailed Rubythroat** *Luscinia pectoralis* One male and a female at Corbett and one male at Sattal.

**Himalayan Bluetail** *Tarsiger rufilatus* Four at Corbett and one above Nainital.

**Golden Bush Robin** *Tarsiger chrysaesus* Up to six near Nainital and Sattal, some great views.

**Oriental Magpie-Robin** *Copsychus saularis* Widespread but mainly at lower elevations.

**Indian Robin** *Saxicoloides fulicatus* Common in some drier areas.

**Blue-capped Redstart** *Phoenicurus coeruleocephala* +50 at two sites near Nainital and +5 above Corbett.

**Black Redstart** *Phoenicurus ochruros* 1-5 seen every day at lowlands. See note.

**Blue-fronted Redstart** *Phoenicurus frontalis* One male above Nainital and one male at Sattal.

**Plumbeous Water Redstart** *Rhyacornis fuliginosa* Common on foothills rivers.

**White-capped Redstart** *Chaimarrornis leucocephalus* Plenty on upland rivers.

**Blue Whistling Thrush** *Myophonus caeruleus* Several in the foothills.

**Little Forktail** *Enicurus scouleri* One near Sattal a stunning little bird.

**Spotted Forktail** *Enicurus maculatus* Up to nine in the foothills, some lovely views.

**Siberian Stonechat** *Saxicola maurus* Locally common, especially in grasslands, some odd looking. See note.



**Pied Bush Chat** *Saxicola caprata* Widespread encounters.

**Grey Bush Chat** *Saxicola ferreus* Fairly common in the foothills.

**Isabelline Wheatear** *Oenanthe isabellina* A handful in the more arid lowland areas.

**Desert Wheatear** *Oenanthe deserti* Several in semi-desert areas.

**Variable Wheatear** *Oenanthe picata* +5 at the road to Banas River. Males of picata, opistholeuca and capistrata.

**Brown Rock Chat** *Oenanthe fusca* Common in the drier lowlands close to buildings and rocks.

**Blue Rock Thrush** *Monticola solitarius* One at Chambal and two near Banas River.

**Chestnut-bellied Rock Thrush** *Monticola rufiventris* One female at Sattal. **Picture to the left**

**Rufous-gorgeted Flycatcher** *Ficedula strophinata* Several in the foothills.

**Red-breasted Flycatcher** *Ficedula parva* Common in the lowlands and lower foothills.

**Taiga Flycatcher** *Ficedula albicilla* First noted at Corbett, more heard than seen.

**Little Pied Flycatcher** *Ficedula superciliaris* A male outside Corbett and one inside the NP.

**Ultramarine Flycatcher** *Ficedula superciliaris* A young male at Chambal Lodge was a surprise.



**Slaty-blue Flycatcher** *Ficedula tricolor* +20 in the foothills. **Picture to the left**

**Verditer Flycatcher** *Eumyias thalassinus* One at Bharatpur.

**Tickell's Blue Flycatcher** *Cyornis tickelliae* Good views at Ranthambore +5 in the Park.

**Rufous-bellied Niltava** *Niltava sundara* +10 in Corbett and the foothills

**Small Niltava** *Niltava macgrigoriae* +5 in Corbett and the foothills.

**Brown Dipper** *Cinclus pallasii* +10 at foothill rivers.

**Golden-fronted Leafbird** *Chloropsis aurifrons* One immature near the Lodge outside Corbett NP.

**Thick-billed Flowerpecker** *Dicaeum agile* Two at Chambal Lodge.

**Pale-billed Flowerpecker** *Dicaeum erythrorhynchos* Six above Corbett.

**Fire-breasted Flowerpecker** *Dicaeum ignipectus* A handful at Sat Tal.

**Purple Sunbird** *Cinnyris asiaticus* Many seen in the lowlands and at the Tiger Lodge.

**Crimson Sunbird** *Aethopyga siparaja* Five above Corbett.

**Green-tailed Sunbird** *Aethopyga nipalensis* One

above Corbett and some at Sattal and Nainital.

**House Sparrow** *Passer domesticus* Occasionally seen.

**Russet Sparrow** *Passer rutilans* A handful were found near Nainital and several in Sattal.

**Yellow-throated Sparrow** *Gymnoris xanthocollis* Quite common at Bharatpur, a few elsewhere.



**Streaked Weaver** *Ploceus manyar* +20 at Delhi NP.

**Baya Weaver** *Ploceus philippinus* +5 near Ranthambore dam and +10 at Delhi NP.

**Red Avadavat** *Amandava amandava* Noted several times in the lowlands and Corbett, some stunning males.

**Indian Silverbill** *Euodice malabarica* Occasionally seen in the drier lowlands and Delhi NP.

**Tricolored Munia** *Lonchura malacca* Eight in Delhi NP.

**Scaly-breasted Munia** *Lonchura punctulata* Seen in small groups three times in lowlands.

**Rufous-breasted Accentor** *Prunella strophinata* +10 at Nainital and Sattal.

**Black-throated Accentor** *Prunella atrogularis* One above Naini Tal and one at Sattal.

**Altai Accentor** *Prunella himalayana* Several big flocks, one of +100 above

Naini Tal.

**Yellow Wagtail** *Motacilla [flava] beema* +10 males and some females at Delhi NP

**Yellow Wagtail** *Motacilla [flava] lutea* Two males at Banas River with 30 other Yellow Wagtails.

**Yellow Wagtail** *Motacilla [flava] feldegg* One male at Ranthambore dam.

**Yellow Wagtail"** *Motacilla [flava] thunbergi* +20 at Ranthambore dam.

**Citrine Wagtail** *Motacilla citreola* Singles in marshier areas, +10 in total.

**Grey Wagtail** *Motacilla cinerea* A few, mainly in the foothills.

**White Wagtail** *Motacilla [alba] alba* Widespread encounters, mainly in the lowlands, sometimes in groups.

**Masked Wagtail** *Motacilla [alba] personata* Several encounters at widespread sites.

**Amur Wagtail** *Motacilla [alba] leucopsis* Two at the Delhi NP.  
**White-browed Wagtail** *Motacilla maderaspatensis* Widespread, mainly in the lowlands.  
**Richard's Pipit** *Anthus richardi* Singles in dry grass- and lowlands.  
**Blyth's Pipit** *Anthus rufulus* One at Bharatpur with Paddyfield pipits.  
**Paddyfield Pipit** *Anthus rufulus* 1-10 every day in lowlands.  
**Tawny Pipit** *Anthus campestris* Common in drier lowland areas.  
**Tree Pipit** *Anthus trivialis* Several in the lowlands.  
**Olive-backed Pipit** *Anthus hodgsoni* Several in the lowlands and foothills.  
**Rosy Pipit** *Anthus roseatus* Flight views only of calling birds at Dhikala Corbett NP.  
**Water Pipit** *Anthus spinoleta* One at the Banas River.  
**Upland Pipit** *Anthus sylvanus* One skulking got caught on pictures above Corbett.  
**Common Rosefinch** *Carpodacus erythrinus* Seen 10 days +100 in total.  
**Spotwinged Rosefinch** *Carpodacus rodopeplus* One sublime male at a spring above Naini Tal.  
**Pink-browed Rosefinch** *Carpodacus rodochroa* +10 in Nainital foothills, one sublime male.  
**Yellow-breasted Greenfinch** *Chloris spinoides* Several at Sattal, Nainital and Corbett.  
**Crested Bunting** *Emberiza lathamii* One at Rantambore, five at Corbett and one at Nainital.



**Rock Bunting** *Emberiza cia* Several (+50) near Nainital.

**White-capped Bunting** *Emberiza stewarti* +5 at Barathpur and singles at Naini Tal and Corbett.

**Black-headed Bunting** *Emberiza melanocephala* Three near Banas River.

**Red-headed Bunting** *Emberiza bruniceps* 400 + 500 around Ranthambore.

#### MAMMALS

**Indian Crested Porcupine** *Hystrix indica* One in night at Dhikala Lodge Corbett NP.

**Indian Hare** *Lepus nigricollis* +10 at Chambal Lodge.

**Northern Palm Squirrel** *Funambulus pennantii* Common in the lowlands.

**Brown Rat** *Rattus norvegicus* +100 at New Delhi railway station.

**Asian Palm Civet** *Paradoxurus hermaphroditus* Five at Chambal Lodge.

**Leopard** *Panthera pardus* Superb views of a male at Ranthambore and a Leopard-tail two days later.

**Tiger** *Panthera tigris* One female (Mrs Noor) almost too close to the Jeep, three meters!!!

**Small Indian Mongoose** *Herpestes javanicus* 3-4 encounters

**Indian Grey Mongoose** *Herpestes edwardsii* Several encounters.

**Ruddy Mongoose** *Herpestes smithii* Three at Ranthambore.

**Gray Wolf** *Canis lupus* A pair early in a hillside near Banas River. The "center" of Indian Wolf, big surprise.

**Golden Jackal (Common J)** *Canis aureus* Several encounters in the lowlands and Corbett NP.

**Yellow-throated Marten** *Martes flavigula* Four encounters in the foothills and Corbett.



**Indian Flying Fox** *Pteropus giganteus* + 50 seen roosting at Chambal Lodge.  
**Northern Plains Grey Langur** *Semnopithecus entellus* Plenty at Ranthambhore.  
**Tarai Grey Langur** *Semnopithecus hector* Lots in the foothills.  
**Rhesus Macaque** *Macaca mulatta* Common in the lowlands.  
**Ganges River Dolphin** *Platanista gangetica* Some reasonable views of one at Chambal River.  
**Eurasian Wild Boar** *Sus scrofa* Seen often in forest reserves.  
**Indian Muntjac (Barking Deer)** *Muntiacus muntjak* A few at Corbett.  
**Sambar** *Cervus unicolor* Common in tiger reserves and at Bharatpur.



**Chital (Axis Deer, Spotted Deer)** *Axis axis* Common in well wooded areas.  
**Blackbuck** *Antelope cervicapra* 14 of these lovely animals south of Ranthambore  
**Indian Gazelle (Chinkara)** *Gazella bennettii* Three at Ranthambhore NP.  
**Nilgai (Blue Bull)** *Boselaphus tragocamelus* Often seen in the drier lowlands, common.  
**Common Goral (Goral)** *Naemorhedus goral* Two above Nainital.  
**Asian Elephant (Indian E)** *Elephas maximus* Eight at Corbett, one calf and one big bull.

#### NOTES TO THE SYSTEMATIC LIST

additional to those in the tour checklist

**Woolly-necked Stork** *Ciconia episcopus*

The form concerned is nominate *episcopus*. The recent HBW/BLI Checklist splits African birds as African Woollyneck *C. microscelis* and renames the present species Asian Woollyneck.

**Intermediate Egret** *Ardea intermedia*

The form concerned is nominate *intermedia*. Based on marked differences in morphology and non-overlapping ranges the recent HBW/BLI Checklist divides Intermediate Egret into three monotypic species, one in Africa (Yellow-billed Egret

*A. brachyrhyncha*), one in Australasia (Plumed Egret *A. plumifera*) and one in Asia which retains the name generally used for the enlarged species, though Yellow-billed Egret has also been used at times.

**Red-wattled Lapwing** *Vanellus indicus*

The form concerned is nominate *indicus* of the western 'indicus group'. Birds from northeast India through Southeast Asia differ in appearance and may represent a separate species, the name Black-necked Lapwing *V. atronuchalis* has been suggested for them. Further research is required.

**Spotted Dove** *Spilopelia chinensis*

The form concerned is *suratensis* which some authors, including the recent HBW/BLI Checklist, split as Western Spotted Dove *S. suratensis*

**Yellow-footed Green Pigeon** *Treron phoenicopterus*

The forms concerned are nominate *phoenicopterus* (northern) and *chlorigaster* (south of the Gangetic Plain, the two differ in several plumage traits with little or no evidence of birds with mixed features and may represent separate species

**White-throated Kingfisher** *Halcyon smyrnensis*

The recent Birdlife/IBW Checklist splits the taxon on the Philippines as White-throated Kingfisher *H. gularis* resulting in their renaming of birds elsewhere as White-breasted Kingfisher. The names White-throated and White-breasted have been used interchangeably for the enlarged species.

**Green Bee-eater** *Merops orientalis*

The recent Birdlife/IBW Checklist splits this species three ways as Asian Green Bee-eater *M. orientalis* (the nominate race of which is seen on this tour); Arabian Green Bee-eater *M. cyanophrys* (Arabian Peninsular and Israel); and African Green-Bee-eater *M. viridissimus*.



**Grey-headed Woodpecker** *Picus canus*

The form concerned is *sanguinceps* which along with other forms in southern and southeastern Asia is regarded as a separate species from birds in northern Eurasia by some recent authors who use the name Black-naped Woodpecker *Picus guerini*.

**Southern Grey Shrike** *Lanius meridionalis*

The form concerned is *lahtora*. This species was formerly lumped in Great Grey Shrike *L. excubitor*. Within Southern Grey it is still likely that more than one species is involved, *lahtora* is genetically closest to Central Asian breeding *pallidirostris* (Which IOC split as Steppe Grey Shrike) than to other races so far scrutinised but the taxonomy of the entire complex is highly problematic.

**Black Redstart** *Phoenicurus ochruros*

The forms concerned are the similar *phoenicuroides* and *rufiventris* which belong to an orange bellied group of races that some authors consider possibly a separate species from black-bellied birds in Europe.

**Variable Wheatear** *Oenanthe picata*

The three plumage types, *picata*, *opistholeuca* and *capistrata*, are variously regarded as mere colour morphs (of no real taxonomic significance), as valid subspecies or as three full species (and alternatively again as two species with *capistrata* separate from the other two). At least some interbreeding does apparently occur though the three types mostly occupy separate breeding ranges (even with some altitudinal separation) and overtly intermediate birds seem very scarce. Only a comprehensive genetic analysis is likely to move the debate forward but more than one species is quite possibly involved.



Noor slicker sig om munnen när hon tittar på oss där vi sitter i den öppna jeepen 3 m från henne. Ganska nervöst faktiskt trots Jotis lugnande ord.

Fotografi av Himalaya från nordsidan av Nainital i Delstaten Uttarakhand. Den högsta toppen är 7821 möh och heter Nanda Devi



Jan Sjöstedt  
[atropos@hotmail.se](mailto:atropos@hotmail.se)  
070-5729232



